



This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

### Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

### About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at <http://books.google.com/>

19136  
e.28.



600030909R


g. 69.  
g. 42.



E. BIBL. RADCL.

~~14~~  
~~8~~  
~~5~~  
~~59~~ 13.

1913.6 e 28.







600030909R

g. 69.  
g. 42.



E. BIBL. RADCL.

16  
8/5  
59.13

1913.6 e 28.









600030909R



E. BIBL. RADCL.



1913.6 e 28.









# **Plantæ Warbicensēs Selectæ;**

OR

## **BOTANIST'S GUIDE**

THROUGH THE

## **COUNTY OF WARWICK.**

---

BY

**W. G. PERRY.**


---

**WARWICK:**

**PRINTED BY W. PERRY;  
AND SOLD BY THE AUTHOR, LEAMINGTON;  
LONGMAN, HURST, AND CO. LONDON; ROSE, WARWICK;  
AND ALL OTHER BOOKSELLERS.**

---

**1820**



## OBSERVATIONS.

*This Guide is intended to direct the Botanist to the Places of Growth of all the Plants of RARE or LOCAL occurrence, which have been observed growing spontaneously in the County of Warwick. It is compiled from the Catalogus and Synopsis of RAY, Flora Anglica of HUDSON, Botanical Arrangement of WITHERING, Botanist's Guide through England and Wales of TURNER and DILLWYN, and Midland Flora of PURTON,\* with additions chiefly from the Author's personal observation.*

*The Arrangement and Nomenclature are those of SMITH in the 3rd Edit. of his Compendium Floræ Britannicæ, but the Synonyma of WITHERING, PURTON, and SMITH in his Flora Britannica, are also given.*

*References to the Plates of English Botany by SOWERBY, and Numbers denoting the Months of Flowering are given throughout.*

*Alphabetical Indexes of the Latin and English Names of Plants; and of the Places alluded to in the course of the work, with distances and bearings from Market-Towns, and references to the rare plants found in each of their respective vicinities, are annexed.*

*†† Communications relative to scarce plants, new habitats, corrections, or improvements, will be highly esteemed; as the Editor intends publishing an enlarged edition, provided sufficient materials are collected to warrant a republication.*

---

\* Mr. Purton is about to publish an Appendix to his Midland Flora, in which he will make the necessary corrections respecting the Misnomers; and has communicated several of his emendations to the present publication, with a view to render each work as correct as possible.

## **ABBREVIATIONS.**

- A, B. G. Countess of Aylesford, in *Botanist's Guide*.  
 B, M. F. Rev. W. T. Bree, in *Midland Flora*.  
 C, B. G. Sir T. G. Cullam, in *Botanist's Guide*.  
 C, E. B. Mrs. Corrie, in *English Botany*.  
 D, M. F. T. Dolben, Esq. in *Midland Flora*.  
 D, R. S. Doody, in *Ray's Synopsis*.  
 E. B. Sowerby's *English Botany*.  
 H. Hudson's *Flora Anglica*, 1762.  
 P. Purton's *Midland Flora*, 1817.  
 R. Ray's *Synopsis Methodica*, Edit. 3, 1724.  
 R, C. Ray's *Catalogus Plantarum*, Edit. 2, 1677.  
 R, M. F. Rev. W. S. Rufford, in *Midland Flora*.  
 R, W. Miss Read, in *Withering's Bot. Arr*.  
 S. Smith's *Flora Britannica*.  
 Sm. Mr. Smith, Leamington Spa.  
 S, W. Dr. Stokes, in *Withering's Bot. Arr*.  
 W. Withering's *Botanical Arrangement*, Ed. 6, 1818.  
 W. G. P. The Editor, Warwick.  
 W, R. S. Willisell in *Ray's Synopsis*.  
 W, W. Mr. Woodward in *Withering's Bot. Arr*.

## **ERRATA.**

- p. 8—last line dele *comma* after "Green".  
 p. 24—Art. 104, add "Sharp entire-leaved Goose-foot".  
 p. 28—line 2 from bot. for "ihat" read "that".  
 p. 45—Head-line for "Poylgynia" read "Polygynia".  
 p. 54—line 3 from bot. add "W."  
 p. 58—3—after "Saltisford", add "Warwick".  
 p. 79—3 for "B, M. F." read "D, M. F."

# Plantæ Barbicenses Selectæ.

---

## MONANDRIA—MONOGYNIA.

1 *Chara flexilis*: . . . . . 6—10.

*Smooth Chara*. . . . . E. B. 1070.

In the third Stew from the House at Edgbaston. W.

In a Stew at Cookhill. Ditches about Drayton. P.

## DIANDRIA—MONOGYNIA.

2 *Circæa alpina*. . . . . 7—8.

*Mountain Enchanter's Nightshade*.

. . . . . E. B. 1057.

Balsall Temple. Springfield. . . . B, M. F.

- 
- 3 *Veronica officinalis*. . . . . 5—6.  
*Common Speedwell*. E. B. 765.  
 Dunnington. Coughton. . . . . P.  
 Green's Grove, Hatton. High bank on the road-  
 side between Hatton and Warwick. W. G. P.
- 4 ——— *Anagallis*. . . . . 7—8.  
*Water Speedwell. Long-leaved*  
*Brooklime*. . . . . E. B. 781.  
 Ditches about Tamworth. . . . . W.  
*Common*. . . . . P.  
 Nicholas Meadow, Warwick, &c. W. G. P.
- 5 ——— *scutellata*. . . . . 6—8.  
*Narrow-leaved Marsh Speedwell*.  
 . . . . . E. B. 782.  
 Ditches about Tamworth. . . . . W.  
 Shelfield. Coleshill Bog. . . . . P.  
 In the field beyond Swan Meadow, on the foot road  
 to Hampton-on-the-Hill from Warwick. W. G. P.
- 6 ——— *triphyllos*. . . . . 4—5.  
*Trifid Speedwell. Fingered Speed-*  
*well*. . . . . E. B. 26.  
 Sandy fields, not rare\*. . . . . P.
- 

\* A doubt having been expressed relative to the existence of this extremely rare plant in Warwickshire, it probably will afford satisfaction to state that Mr. Purton is still of opinion that his plant is the true *V. triphyllos*; although that is generally supposed to be confined to the narrow sandy tract in Norfolk & Suffolk.

## DIANDRIA—MONOGYNIA. 3

---

7 *Pinguicula vulgaris*. . . . . 5—6.

*'Butter-wort. Yorkshire Sanicle.*

. . . . . E. B. 70.

Coleshill Bog. Bannersley Pool. . B, M. F.

8 *Utricularia vulgaris*. . . . . 7.

*Great Bladder-wort. Greater-*

*hooded Milfoil.* . E. B. 253.

In shallow waters on Birmingham heath. . W.

9 *Lemna trisulca*. . . . . 6—9.

*Ivy-leaved Duck-weed.* E. B. 926.

Cookhill. . . . . P.

10 ——— *gibba*. . . . . 6—8.

*Gibbous Duck-weed.* E. B. 1233.

Mill-pond near St. Nicholas' Church, and in a  
brook in Baly's Lammas, Warwick. W. G. P.

11 *Salvia verbenaca*. . . . . 6—10.

*Wild Clary.* . . . E. B. 154.

On the Castle Hill, Tamworth. . . W.

Bidford and Haslor, near the Churches. . P.

Figwell-lane, Warwick\*, (1812.) Stratford Church-  
yard, *plentiful*. . . . . W. G. P.

---

\* *This station has of late been unproductive.*



#### 4. TRIANDRIA—MONOGYNIA.

---

12 *Valeriana rubra*\*. . . . . 5—9.

*Red Valerian.* . . . . E. B. 1531.

On the East gate, Warwick. . . . W. G. P.

13 *Valeriana dioica.* . . . . 5—6.

*Small Marsh Valerian.* E. B. 628.

Garlick meadows, Erdington. . . . W.

Marshy ground, by Hoo-mill, (near Haslor.) Near  
Middletown. . . . . P.

At Leamington, near the river. . . . Sm.

Near the Race Stand, Warwick, &c. . . W. G. P.

14 ——— *officinalis.* . . . . 6.

*Great Wild Valerian.* E. B. 698.

In the Garlick meadows, near Penn's Mill, Erd-  
ington, *plentiful.* . . . . W.

Oversley Wood. . . . . P.

Warwick, &c. *not rare.* . . . W. G. P.

15 *Crocus nudiflorus.* . . . . 10.

*Naked-flowering Crocus.* E. B. 491.

Pigwell fields and Lammas fields, Warwick. W. G. P.

16 *Iris foetidissima.* . . . . 6—7.

*Stinking Iris, or Gladwin.* E. B. 596.

Alne Hills. . . . . R, M. F.

---

\* By some authors, not considered to be truly indigenous.

- 17 *Schoenus Mariscus*. . . . . 7—8.

*Prickly or Long-rooted Bog-rush.*

. . . . . E. B. 950.

Boggy places by the Thame, at Dort's hill, near  
Tamworth. . . . . R.

- 18 ——— *nigricans*. (*Cyperus nigricans*,  
W. & P.) . . . . . 6—7.

*Black Bog-rush.* E. B. 1121.

Boggy meadows by the Thame, under Dort's hill,  
near Middleton. . . . . R, C.

Colehill Bog. . . . . P.

- 19 ——— *albus*. . . . . 7—9.

*White-headed Bog-rush.* E. B. 985.

Birmingham heath. . . . . W.

Near Packington. . . . . A, B. G.

Colehill Bog. . . . . P.

- 20 *Scirpus cæspitosus*. . . . . 6—7.

*Scaly-stalked Club-rush.* E. B. 1029.

About Middleton, &c.. . . . R.

Colehill Bog. . . . . P.

- 21 ——— *setaceus*. . . . . 7—8.

*Least Club-rush.* . E. B. 1693.

In a dry pool at Cookhill. . . . . P.

---

22 *Scirpus sylvaticus*. . . . . 7.

*Wood Club-rush*. . . . . E. B. 919.

Ditches about Solihull. . . . .  
Thame side, under Dort's  
hill, near Tamworth. . . . . R.

Edgbaston pool, near Birmingham, *plentiful*. W.

Oversley Mill-pond. King's Coughton. . . . . P.

23 *Eriophorum vaginatum*. . . . . 2—4.

*Hare's-tail Rush. Single-headed*

*Cotton-grass*. . . . . E. B. 873.

Birmingham heath, in the marshy valley crossed by  
the foot road to Winson Green. . . . . W.

Packington. . . . . A, B, G.

Bannersley Pool, Coleshill Bog, . . . . . B, M, F.

24 ——— *polystachion*. . . . . 4—6.

*Broad-leaved or Many-headed*

*Cotton-grass*. . . . . E. B. 563.

Packington . . . . . A, B, G.

25 ——— *angustifolium*. . . . . 4—6.

*Common Cotton-grass*. E. B. 564.

Birmingham heath. . . . . W,

Boggy field, near Trent's lane Turnpike\*. . . . . P.

---

\* *E. polystachion* of the M. F. is found to be *E. angustifolium*.

## TRIANDRIA—MONOGYNIA.

7

26 *Nardus stricta*. . . . . 6—8.

*Mat-grass*. . . . . E. B. 290.

Birmingham heath. . . . . W.

Studley Common, *plentiful*. . . . . P.

Coleshill heath. . . . . Sm.

## TRIANDRIA—DIGYNIA.

27 *Phalaris arundinacea*. (*Arundo colorata*,  
S.) . . . . . 7.

*Reed Canary-grass*. . . . . E. B. 402.

*Not uncommon*. . . . . P.

Near Leamington. . . . . W. G. P.

28 *Alopecurus fulvus*. . . . . 7—9.

*Orange - spiked Fox - tail - grass*.

. . . . . E. B. 1467.

In a marshy place by the Stews in Edgbaston Park. W.

29 *Milium effusum*. . . . . 5—7.

*Spreading or Soft Millet - grass*.

. . . . . E. B. 1106.

Ragley and Oversley Woods. . . . . P.

30 *Agrostis Spica-Venti*. . . . . 6—8.

*Silky Bent-grass*. . . . . E. B. 951.

In a newly-made garden, near the Brick Yard,

Saltisford, Warwick. . . . . W. G. P.

- 31 *Aira aquatica*. . . . . 5—7.

*Water Hair-grass*. . E. B. 1557.

S. W. side of Edgbaston Pool. . . . . W.

Bidford. . . . . R. M. F.

At the side of a brook in Baly's Lammas, Warwick.

. . . . . W. G. P.

- 32 — *flexuosa*. . . . . 6—8.

*Waved-mountain or Heath Hair-grass*. . . . . E. B. 1519.

Dry woods in Sutton Park. . . . . W.

*Common*. . . . . P.

- 33 — *caryophylla*. . . . . 7.

*Silver Hair-grass*. . E. B. 812.

In Oversley Wood, on a sandy bank. . . . . P.

- 34 *Melica uniflora*. . . . . 5—7.

*Wood Melic-grass*. E. B. 1058.

Oversley Lane, &c. . . . . P.

- 35 — *cærulea*. . . . . 6—8.

*Purple Melic-grass*. E. B. 750.

Coleshill Bog. . . . . P.

- 36 *Poa rigida*. . . . . 6—8.

*Hard Meadow-grass*. E. B. 1371.

Wall at Oversley Green, Bridge, &c. . . . . P.

- 
- 37 *Poa nemoralis*. . . . . 6—8.  
*Wood Meadow-grass*. E. B. 1265.  
 Oversley Lane . . . . . W. G. P.
- 38 — *decumbens*. . . . . 7—8.  
*Decumbent Meadow-grass*.  
 . . . . . E. B. 792.  
 On Tippin's Hill, near to the foot-path leading  
 (from Alcester) to Wetheley. . . . P.
- 39 *Cynosurus cristatus*, Var. 3 W.  
*Crested Dog's-tail-grass*, Var.  
*Spike viviparous*. . . . .  
 By the side of the canal near Leamington W. G. P.
- 40 *Festuca bromoides*. . . . . 5—6.  
*Barren Fescue-Grass*. E. B. 1411.  
 Dry pastures, near the Mass-house, Edgbaston. W,  
 King's Coughton, . . . . . P.
- 41 *Bromus secalinus*. . . . . 5—7.  
*Smooth-rye Brome-grass*. E. B. 1171,  
 On Dort's hill, near Tamworth. . . . R, C.
- 42 — *sylvaticus*. (*Festuca sylvatica*, W.  
 & P.) . . . . . 7.  
*Slender-wood Brome-grass*, E. B. 729.  
 Kniwarton, Grafton, &c. . . . . P.

- 
- 43 *Bromus pinnatus*. (*Festuca pinnata*,  
W. & P.) . . . . . 7.  
*Spiked-heath Brome-grass*.  
. . . . . E. B. 730.  
Grafton. Great Alne. . . . . P.
- 44 *Arundo epigejos*.\* . . . . 7.  
*Wood Reed*. . . . . E. B. 403.  
Dunnington. Salford. Wetheley. . . . . P.
- 45 ——— *Calamagrostis*. . . . . 6—7.  
*Small Reed*. . . . . E. B. 2159.  
*Not rare*. . . . . P.

## TRIANDRIA—TRIGYNIA.

- 46 *Montia fontana*. . . . . 4—5.  
*Water Blinks*. . . . . E. B. 1206.  
Hockley Pool grate, near Birmingham. W.  
At Haslor. . . . . R. M. F.  
Near Hill-Wootton. . . . . W. G. P.

---

\* The Editor is authorized, by Mr. Purton, to refer *A. epigejos* of M. F. to *A. Calamagrostis*, and *A. Calamagrostis* to *A. epigejos*.

47 *Dipsacus pilosus*. . . . . 8.

*Small Teasel. Shepherd's rod.*

. . . . . E. B. 877.

Near Coleshill. . . . . A, B. G.

Studley Mill. Wixford Lane. Oversley Hill,

near to Mr. Silvester's. . . . . P.

Emscote, on the road to Lillington. . . . . W. G. P.

48 *Asperula odorata*. . . . . 5.

*Sweet Woodruff, or Woodroof.*

. . . . . E. B. 755.

Oversley. Spermal. Ragley Woods. . . . . P.

49 *Galium cruciatum*. (*Valantia cruciata*,

P.) . . . . . 5.

*Cross-wort.* . . . . E. B. 143.

Common. . . . . P.

*Ibid.\** . . . . . W. G. P.

50 ——— *Witheringii*. . . . . 7.

*Rough-heath Bed-straw.*

. . . . . E. B. 2206.

On high, but boggy, parts of Handsworth heath,

near Birmingham. . . . . W.

---

\* This plant is scarce in the southern counties. W.



## 12 TETRANDRIA—MONOGYNIA.

---

### 51 *Galium saxatile*. (*G. procumbens*. W. & P.)

. . . . . 7—8.

*Smooth-heath Bed-straw*. E.B. 815.

\* Handsworth heath, near Birmingham. . . W.

Studley Common. . . . . P.

Kenilworth heath. . . . . W. G. P.

### 52 ——— *uliginosum*. . . . . 7—8.

*Rough-marsh Bed-straw*. E.B. 1972.

Coleshill Bog. . . . . P.

Green's Grove, Hatton; and elsewhere. W. G. P.

### 53 ——— *tricornis*. . . . . 6—7.

*Corn Bed-straw*. *Three-flowered*

*Goose-grass*. . . . E. B. 1641.

Alne Hills. . . . . R, M. F.

In a corn-field by Drayton Bushes. . . P.

### 54 ——— *Mollugo*. . . . . 6—8.

*Great Hedge Bed-straw*. *Bastard*

*Madder*. . . . E. B. 1673.

*Common*. . . . . P.

Weir-break hill and Cross of the Hill, near

Stratford.\* . . . . W. G. P.

---

\* *This plant is rare in the immediate neighbourhood of Warwick, although so very common in most parts of the kingdom.*

55 *Galium anglicum*. . . . . 6—7.

*Wall Bed-straw*. . . . E. B. 384.

On high ground in Oversley Wood. . . P.

56 *Plantago Coronopus*. . . . . 5—8.

*Buck's-horn Plantain*. *Star of*

*the Earth*. . . . E. B. 892,

On the side of the Bromsgrove road (from  
Alcester,) between Crab's Cross and Headley's  
Cross. . . . . P.

57 *Sanguisorba officinalis*. . . . . 6—8,

*Great Burnet*. . . . E. B. 1312.

In a field at the bottom of the Bleach-field, on  
a ditch bank, (Alcester.) Moist meadows at  
Upton, in Haslor Parish. . . . P,

About Leamington. . . . . Sm.

Meadows near the race course, &c. Warwick,  
*plentiful*. . . . . W. G. P.

58 *Parietaria officinalis*. . . . . 5—9,

*Pellitory of the Wall*. E. B. 879,

Haslor Church. . . . . P.

On the West Gate and many old walls in Warwick,

On Stratford Church. Tachbrooke Church. W.G.P.

## 14 TETRANDRIA—MONOGYNIA.

---

59 *Alchemilla vulgaris*. . . . 6—9.

*Common Ladies'-mantle*. E. B. 597.

Tanworth. At the foot of the stone steps leading  
to Mr. Westcombe's, Oversley. . . . P.

## TETRANDRIA—TETRAGYNIA.

60 *Potamogeton densum*. . . . 5—6.

*Close-leaved Pond-weed*. E. B. 397.

In ponds and ditches on each side of the road,  
between Red-hill and Stratford-upon-Avon. P.

61 ————— *lucens*. . . . 6—7.

*Shining Pond-weed*. E. B. 376.

River Avon, and ponds about Bidford. . . . P.

62 ————— *pectinatum*. . . . 7.

*Fennel-leaved Pond-weed*. E. B. 323.

Near the canal bridge, Saltisford, Warwick. W. G. P.

63 ————— *pusillum*. . . . 6—8.

*Small Pond-weed*. . . E. B. 215.

About Tanworth. . . . . W.

64 *Sagina erecta*. . . . 4—5.

*Upright Pearl-wort*. E. B. 609.

Coleshill heath, . . . . B, M, F.

## TETRANDRIA—TETRAGYNIA. 13

---

- 65 *Radiola millegrana.* (Linum *Radiola*,  
W. & P.) . . . 7—8.  
*All-seed.* . . . E. B. 893.  
Coleshill Pool . . . P.

## PENTANDRIA—MONOGYNIA.

- 66 *Lithospermum officinale* . . . 5—6.  
*Common Gromwell.* . E. B. 134.  
Great Alne. Oversley Wood. . . P.  
On the side of the foot path leading from Alcester  
to Wixford. , . . W. G. P.
- 67 *Anchusa sempervirens.* . . . 5—7.  
*Evergreen Alkanet.* . E. B. 45.  
Near Birmingham, on the Alcester road. In  
sandy hedge banks in the lanes about Edgbaston,  
*plentiful.* . . . W.
- 68 *Cynoglossum sylvaticum.* . . . 5—6.  
*Green-leaved Hound's-tongue.*  
. . . E. B. 1642.  
Pigwell-lane, Warwick, (1812.) On a hedge  
bank, near the Cape of Good Hope,  
Warwick. . . W. G. P.

## 16 PENTANDRIA—MONOGYNIA.

---

69 *Symphytum officinale*. . . . . 5—6.

*Common Comfrey*. E. B. 817.

River Arrow, near Oversley Bridge, &c. . P.

Near Stonleigh Mill. Road side between Tred-  
dington and Shipston, *plentiful*. . W. & P.

70 *Borago officinalis*.\* . . . . 6—8.

*Borage*. . . . . E. B. 36.

Among some rubbish, in a field by Arrow  
turnpike. . . . . P.

In gardens at Warwick and Leamington. W. G. P.

71 *Echium vulgare*. . . . . 6—8.

*Blue Viper's Bugloss*. E. B. 181.

Salford, on a wall opposite Mr. Penrice's. About  
the lime-kilns at Grafton. . . . . P.

Near Stratford, on the Bidford road. Stone quar-  
ries in the Coten-end and near the Woodloes,  
Warwick, &c. . . . . W. G. P.

72 *Menyanthes trifoliata*. . . . . 6—7.

*Buck-bean. Bog-bean. Marsh*

*Trefoil*. . . . . E. B. 495.

In a pit on Alne Hills. At Sheffield. R, M. F.

Coleshill Bog. . . . . B, M. F.

---

\* A doubtful native.

- Westwood heath, *plentiful*. . . . . Sp.  
 In the windmill-field near the road from Haseley to  
 Haseley green, *plentiful*. . . . . W. G. P.
- 73 *Hottonia palustris*. . . . . 6—7.  
*Water Violet. Featherfoil.* E. B. 364.  
 Tamworth. . . . . B, M. F.
- 74 *Lysimachia vulgaris*. . . . . 6—7.  
*Yellow Loose-strife.* . . . E. B. 761.  
 On the side of the Avon, below Bidford Grange,  
 opposite the Flood-gates. . . . . P.
- 75 ——— *nemorum*. . . . . 5—9.  
*Wood Loose-strife. Yellow Pim-*  
*pernel.* . . . . E. B. 527.  
 Oversley Wood. Ragley Woods. Spennall Park. P.  
 Crackley Wood, near Kenilworth. . . . . W. G. P.
- 76 *Anagallis cœrulea*, (*A. arvensis*  $\gamma$  S.  
 Var. 2. W.) . . . . . 5—8.  
*Blue Pimpernel.* . . . E. B. 1823.  
 Bickmarsh. Bidford. Grafton. . . . . P.
- 77 ——— *tenella*. . . . . 7—9.  
*Bog Pimpernel.* . . . E. B. 530.  
 Upper pool at Soho, near Birmingham, in the  
 turf by the side. . . . . W.  
 Coleshull Bog. . . . . P.

18 PENTANDRIA—MONOGYNIA.

---

78 *Campanula rotundifolia*, Var. Flore albo.

. . . . . 8—9.

*Round-leaved Bell-flower, Var.*

*Flowers white.* . . . .

Road side between Leek Wootton and Wootton  
Grange. . . . . W. G. P.

79 ——— *rotundifolia*, Var. Caulē uni-

flo-ro; foliis radicalibus cordatis serratis,  
caulinis lineari-lanceolatis; dentibus  
calycinis erectiusculis. . . . .

*Round-leaved Bell-flower. Var.*

*Stem single-flowered; root leaves  
cordate, serrate; stem leaves  
lineari-lanceolate; calyx-teeth  
erectish.* . . . . .

In a stone quarry in the Pigwells, Warwick. W. G. P.

80 ——— *patula.* . . . . 7—8.

*Spreading or Field Bell-flower.*

. . . . . E. B. 42.

Between Lichfield (Staffordsh.) and Meriden. W.

On the road to Coleshill, from Lichfield. . W, W.

On the road side in a wet lane, in the village called  
Water Orton. On the left hand side of the Meri-  
den road, about six miles from Birmingham. W.

Near Meriden and Colehill. . . . A, B. G.  
 In a hedge, in a small village called Wells-  
 Green, near Helmington, (Elmdon) about three  
 (four and a half) miles from Birmingham, in  
 the high road from Coventry to Meriden.  
 (Birmingham) . . . . C, B. C.,  
 On the side of Oversley Hill, by the foot-path  
 leading to Mr. Westcombe's. On the side of  
 Sperrall Park, in the road leading to Moreton  
 Bagot. . . . . P.  
 Borders of Hatton Wood, and by the foot-path  
 leading into the Hockley road, *plentiful*. W.G.P.

81 *Campanula Rapunculus*. . . . 7—8.

*Rampion Bell-flower*. E. B. 283.

Near Guy's Cliffe. By the road-side, in front of the  
 house of M. Wise, Esq. Leamington. W. G. P.

82 ——— *latifolia*. . . . 7—8.

*Giant Bell-flower*. E. B. 302.

Near Packington. . . . . A, B. G.  
 Banks of the River Arrow, the Alne, &c. P.

83 ——— *glomerata*. . . . 7—8.

*Clustered Bell-flower*. E. B. 90.

Above Rolls' Wood, on the side of the road to  
 Grafton. . . . . P.



20 PENTANDRIA—MONOGYNIA.

---

Communicated to me, from the neighbourhood of  
 Pillerton. . . . . W. G. P.

84 *Campanula hybrida*. . . . . 7—8.

*Corn Bell-flower*. . . E. B. 375.

Alne Hills. . . . . R, M. F.

85 *Viola odorata*  $\beta$  S. . . . . 3—4.

*Sweet Violet*. *Var. Flowers white*.

Hedge bank in the Brick Yard, Saltisford, Warwick.

. . . . . W. G. P.

86 ————— *Var. Flore incarnato*. 3—4.

*Sweet Violet*. *Var. Flowers flesh-coloured*. . . . .

In a hedge in Stone-quarry field, Leamington, by  
 the foot path leading to Emscote. . . . . Sm.

On an old wall facing Levenhull (or Linen) lane,  
 Warwick. . . . . W. G. P.

87 ————— *palustris*. . . . . 4—5.

*Marsh Violet*. . . E. B. 444.

Bogs on Birmingham heath. . . . . W.

Bog at Coleshill Pool. . . . . B, M. F.

88 *Verbascum nigrum*. . . . . 7—9.

*Dark Mullein*. . . E. B. 59.

Near the cross, on the road from Ashow to Stonleigh,  
*plentiful*. . . . . W. G. P.

---

89 *Datura Stramonium*.<sup>\*</sup> . . . . . 7.

*Thorn-apple*. . . E. B. 1288,

Salford. Alcester. . . . . P.

On a newly-formed bank of earth in the Saltisford

Brick Yard, Warwick. . . . . W. G. P.

90 *Hyoscyamus niger*. . . . . 6—7.

*Common Henbane*. . E. B. 591.

Great Alne, Wixford, &c. , . . . . P.

Near Stratford, on the Warwick road. W. G. P.

91 *Atropa Belladonna*. . . . . 6—8.

*Deadly Nightshade*. *Dwale*.

. . . . . E. B. 592.

Sutton Coldfield. . . . . R.

92 *Samolus Valerandi*. . . . . 6—7.

*Brook-weed*. *Water Pimpernel*.

. . . . . E. B. 703.

River Alne, above Oversley. In some boggy ground  
near Bidford Grange. . . . . P.

Near the River Leam, in front of Flora Cottage,  
Leamington. . . . . Sm.

---

\* *A doubtful native.*

## 92 PENTANDRIA—MONOGYNIA.

---

93 *Lonicera Xylosteum*. . . . . 5—7.

*Upright Honey-suckle*. E. B. 916.

In the wood on the S. W. side of the lake in  
Edgbaston Park. . . . . W.

94 *Rhamnus catharticus*. . . . . 4—6.

*Buckthorn*. . . . . E. B. 1629.

Packington. . . . . A, B, G.

Bidford. . . . . P.

Radford, &c. . . . . W. G. P.

95 ——— *Frangula*. . . . . 4—5.

*Berry-bearing Alder*. *Alder*

*Buckthorn*. . . . . E. B. 250.

Wood at Smethwick, near Birmingham. W.

Grafton, Arrow. Great Alne, &c. . . . . P.

Woods at Hatton. . . . . W. G. P.

96 *Euonymus europæus*. . . . . 5—6.

*Spindle-tree*. . . . . E. B. 362.

Oversley Wood. Wetheley Wood. . . . . P.

97 *Ribes rubrum*. . . . . 5.

*Red Currant*. . . . . E. B. 1289.

Side of the river Avon, between Warwick and

Emscote. . . . . W. G. P.

# PENTANDRIA—MONOGYNIA. 23

98 *Ribes alpinum*. . . . . 4—5.

*Tasteless Mountain Currant.*

. . . . . E. B. 704.

In a wood on the S. W. side of the pool at Edg-  
baston, *plentiful*. . . . . W.

99 ——— *nigrum*.. . . . 5.

*Black Currant.* . . E. B. 1291.

On banks of rivers. . . . . R.

100 ——— *Grossularia*. . . . . 4.

*Rough Gooseberry.* E. B. 1292.

Oversley Wood, and in hedges, at a distance from  
any house, . . . . . P.

On the stump of a willow, by the side of the river  
Avon, Warwick. . . . . W. G. P.

101 *Vinca minor*. . . . . 4—5.

*Lesser Periwinkle.* . E. B. 917.

In a lane leading from the Larches to the Moseley  
road, near Birmingham. . . . . W.

Fillongley. Allesley. . . . . B, M. F.

102 ——— *major*. . . . . 5.

*Greater Periwinkle.* E. B. 514.

King's Coughton. Oversley. . . . . P.

- 103 *Chenopodium hybridum*. . . . . 8.  
*Maple-leaved Goose-foot*. E. B. 1919.  
*Common*. . . . . P.  
 Amongst rubbish on the road from Hampton-on-the-  
 Hill to Warwick. . . . . W. G. P.
- 104 ————— *acutifolium*, (*C. polysper-*  
*mum*, W.) . . . . . 7—8.  
 . . . . . E. B. 1481.  
 In a newly-made garden, near the Saltisford Brick-  
 yard, Warwick. . . . . W. G. P.
- 105 *Ulmus glabra*, (*U. montana*  $\beta$  S.  
*U. campestris*, Var. 3. W.) . . . . . 3—4.  
*Smooth-leaved Elm*. *Wych Elm*.  
 . . . . . E. B. 2248.  
 Growing to a very large size in Edgbaston Park. W.
- 106 ————— *montana*. . . . . 3—4.  
*Broad-leaved Elm*. E. B. 1887.  
 Wixford lane. . . . . P.
- 107 *Cuscuta europæa*. . . . . 8—9.  
*Greater Dodder*. . . . . E. B. 378.  
 Flax fields about Packington. , . . . . A, B. G.

- 108 *Gentiana Amarella*. . . . 8—9.  
*Autumnal Gentian.* E. B. 236.  
 Alpe Hills. . . . P.
- 109 *Hydrocotyle vulgaris*. . . . 5—6.  
*Marsh Penny-wort.* *White-rot.*  
 . . . . E. B. 751.  
 Haslor field, near Hoo-mill. . . . P.  
 Baginton Park. . . . W. G. P.
- 110 *Bupleurum rotundifolium*. . . . 6—7.  
*Thorowax.* . . . E. B. 99.  
 (Leek) Wootton, near Warwick. . . A. B. G.  
 Bidford. Haslor. Grafton. . . . P.
- 111 *Caucalis daucoides*. . . . 5—6.  
*Small Bur Parsley.* E. B. 197.  
 Alpe Hills, in corn-fields. . . . R, M. F.  
 Fields about Drayton Bushes. . . . P.
- 112 ——— *nodosa*. . . . 5—6.  
*Knotted Stone Parsley.* E. B. 199.  
 On a wall at Walcot. . . . P.  
 Near the Race Stand, Warwick. . . W. G. P.
- 113 *Sium angustifolium*. . . . 7—9.  
*Narrow-leaved Water Parsnep.*  
 . . . . E. B. 139.  
 Near Washford Bridge. . . . P.

- 114 *Ceanothe peucedanifolia*. . . . 5—6.

*Sulphur-wort Water-drop-wort.*

. . . . E. B. 348.

In a gorsy field by Small Heath House, near  
Birmingham. . . . W.

Great Alne. Grafton, Bidford. . . P.

- 115 *Phellandrium aquaticum*. . . . 6—7.

*Water Hemlock.* . . E. B. 684.

In an old gravel pit full of water, at Eden-way. P.

- 116 *Scandix odorata*. . . . 5—6.

*Sweet Cicely. Great Chervil.*

. . . . E. B. 697.

Studley Castle. Balsall Temple. . . P.

- 117 ——— *Anthriscus*, (*Caucalis scandicina*,  
P.) . . . . 5—6.

*Rough Chervil.* . . E. B. 818.

At the foot of the wall at Oversley Bridge. P.

## PENTANDRIA—TRIGYNIA.

- 118 *Sambucus Ebulus*. . . . 7.

*Dwarf Elder.* . . E. B. 475.

At the foot of Tamworth Castle Hill, towards  
the river. . . . W.

Near Grafton Church, on the side of the road. P.

## PENTANDRIA—TRIGYNIA. 47

---

119 *Sambucus nigra*  $\beta$  S. Var. 2 W. 4—6.

*Common Elder, Var. Berries white*

*or green.* . . . . .

Warwickshire. . . . . W.

120 —————  $\gamma$  S. Var. 3 W. 4—6.

*Common Elder, Var. Leaves*

*lacinated. Parsley-leaved Elder.*

At Wixford. . . . . P.

## PENTANDRIA—TETRAGYNIA.

121 *Parnassia palustris.* . . . . 8—10.

*Grass of Parnassus.* E. B. 82.

In meadows at Penn's Mill, near Erdington. W.

Coleshill Bog. Knowle. . . . . P.

Near Stone-bridge, *plentiful.* In meadows

between Bradnock's Marsh and Berkswell,

*plentiful.* . . . . . Sm.

Norbrooke. Near Fern-hill. . . . . W. G. P.

## PENTANDRIA—PENTAGYNIA.

122 *Linum usitatissimum.* . . . . 7.

*Common Flax.* . . . E. B. 1357.

Bicome. . . . . P.



28 PENTANDRIA—HEXAGYNIA.

---

- 123 *Drosera rotundifolia*.\* . . . 7—8.  
*Round-leaved Sundew.* E. B. 867.  
 Birmingham heath. . . . W.  
 Coleshill Bog and Pool. . . . P.

PENTANDRIA—POLYGYNIA.

- 124 *Myosurus minimus*. . . . 5—6.  
*Mouse-tail.* . . . E. B. 435.  
 Chelmlesley Wood, near Coleshill. A, B. G.  
 Alne Hills. At Studley, in a field by the church. P.  
 In a field near the cross, between Norton Lindsey  
 and Warwick. . . . W. G. P.

HEXANDRIA—MONOGYNIA.

- 125 *Galanthus nivalis*. . . . 2—3.  
*Snow-drop.* . . . E. B. 19.  
 Packington. . . . A, B. G.  
 On the side of the Ridgeway. . . . P.  
 In a field near Wedgnock Park towards Warwick,  
*plentiful.* . . . W. G. P.
- 126 *Leucojum aestivum*. . . . 5.  
*Summer Snow-flake.* E. B. 621.  
 Said to grow wild by the side of the Avon,  
 above Stratford. . . . P.

---

\* I have been informed by a countryman, that it is to be found in Canoway Wood, near Claverdon.

127 *Narcissus biflorus*. . . . . 4—5.

*Pale Narcissus*. . . E. B. 276.

In the Lammas Fields, Warwick.\* . W. G. P.

128 ——— *Pseudo-narcissus*. . . 3—5.

*Daffodil*. . . . . E. B. 17.

Pastures about Sutton Coldfield, *plentiful*. R.

Covers almost a whole field beyond Erdington, on  
the road from Birmingham to Sutton. . W.

Studley and Sambourne, *plentiful*. . . P.

129 ————— Var. *Flore*

*pleno*. . . . . 3—5.

*Daffodil, Var. Flowers full.*

In a field near Wedgnock Park, towards Warwick,  
*plentiful*. . . . . W. G. P.

130 *Allium oleraceum*. . . . . 7.

*Streaked Field Garlick*. E. B. 488.

In a field by Rosall, (near Exhall.) . . . P.

Side of the foot-path between Emscote and Leaming-  
ton. (Communicated by Mrs. Clitherow ) W. G. P.

131 ——— *ursinum*. . . . . 5—6.

*Broad-leaved Garlick*. *Ramsons*.

. . . . . E. B. 122.

Several meadows near Penn's Mill, at Erdington,  
abound so much with this plant, as to be called  
"The Garlick Meadows." . . . W.

---

\* Probably an outcast of a garden.

## 30 HEXANDRIA—MONOGYNIA.

---

Spennall and Oversley Woods. On moist ditch banks  
at Hay House, Castle Bromwich, plentiful. P.

132 *Fritillaria Meleagris*. . . . 4—5.

*Fritillary*. . . . E. B. 629.

Brought to me from Wroxall field. . . W. G. P.

133 *Tulipa sylvestris*. . . . 4.

*Wild Tulip*. . . . E. B. 63.

Allesley. . . . B, M. F.

134 *Ornithogalum umbellatum*. . . 4—5.

*Common Star of Bethlehem*.

. . . . E. B. 130.

Meadows near Warwick. . . . B, M. F.

Near a pond in Godfrey's Lammas, Warwick. W. G. P.

135 *Narthecium ossifragum*. . . 7—8.

*Lancashire Asphodel*. E. B. 535.

Birmingham heath. . . . W.

Coleshill Bog. . . . P.

South side of Bannersley Pool. . . Sm.

136 *Convallaria majalis*. . . . 5.

*Lily of the Valley*. E. B. 1033

Hay Woods, (near Coventry.) . . B, M. F.

# HEXANDRIA—MONOGYNIA. 31

- 137 *Acorus Calamus*. . . . . 5—6.  
*Sweet Flag*. . . . . E. B. 356.  
 River at Tamworth, at the bottom of Mr. Oldershaw's garden. . . . . W.
- 138 *Juncus squarrosus*. . . . . 6—7.  
*Moss Rush*. . . . . E. B. 933.  
 Coleshill heath. . . . . P.
- 139 ——— *obtusiflorus*, (*J. articulatus*,  $\beta$  S.)  
 . . . . . 7—8.  
*Blunt-flowered Rush*. E. B. 2144.  
 Boggy ground near Bidford Grange. In a field opposite Trent's Lane turnpike. In a running stream of Mr. Wilkes's, at Broome, near the field barn, where it grows most luxuriantly. . . . . P.
- 140 ——— *uliginosus*. . . . . 6—7.  
*Little Bulbous Rush*. E. B. 801.  
 Coleshill Pool. . . . . P.
- 141 ——— *campestris*,  $\beta$  S. (*J. liniger*, W. & P.) . . . . . 6.  
*Field Rush, Var. Taller and more strigose, leaves longer, spikes more compact. Flaxen Rush*.  
 On the side of the road from Coughton to Sambourne. . . . . P.

## 32      HEXANDRIA—MONOGYNIA.

---

142 *Berberis vulgaris*. . . . . 5—9.

*Barberry*. . . . . E. B. 49.

Oversley. Grafton. Bilsley. . . . . P.

Leek Wootton. Warwick. . . . . W. G. P.

143 *Peplis Portula*. . . . . 7—9.

*Water Purslane*. . . . . E. B. 1211.

At the top of Sperrall lane. Coleshill Pool.

At Cook-hill, by the side of the pool, &c. . . . . P.

## HEXANDRIA—TRIGYNIA.

144 *Rumex sanguineus*. . . . . 7.

*Bloody-veined Dock*. E. B. 1533.

In a garden opposite the Old Well, Leamington.

(Pointed out by Mr. Smith.) . . . . . W. G. P.

145 ——— *aquaticus* (R. *Hydrolapathum*, P.)

. . . . . 7—8.

*Great Water Dock*. E. B. 2104.

Tamworth, at the foot of Bowbridge, on the

Coventry road. . . . . W.

Side of the Avon, near Bidford. River Arrow,

near Alcester, . . . . . P.

River Avon, Nicholas meadow, Warwick. W. G. P.

## HEXANDRIA—MONOGYNIA. 33

---

146 *Triglochin palustre*. . . . 7—8,

*Marsh Arrow-grass*. E. B. 366,

Near Tamworth. . . . W.

At Mr. Bloxam's field, at the edge of the water,

(Alcester.) Above the village of Great Alne,

in some boggy ground. . . . P.

147 *Colchicum autumnale*. . . . 8—9,

*Meadow Saffron*. . E. B. 133,

Near Packington. . . . A. B. G.

Common in wet meadows. . . . P.

Barford, Norbrooke, &c. . . . W. G. P.

148 ————— Var. *Flore albo*. 9.

*Meadow Saffron, Var. Flower*

*white*. . . . .

Meadows, Whitacre. . . . B. M. F.

## OCTANDRIA—MONOGYNIA.

149 *Epilobium tetragonum*. . . . 7.

*Square - stalked Willow - herb*.

. . . . E. B. 1948.

Side of the Arrow. Marshy places about

Bidford, &c. , . . . P.

## 34 OCTANDRIA—MONOGYNIA.

---

Side of the road between Whitnash and Warwick  
Between Warwick and Hampton-on-the-Hill,  
&c. . . . . W. G. P.

150 *Epilobium palustre*. . . . . 7.

*Narrow Marsh Willow - herb.*

. . . . . E. B. 346.

Coleshill Bog. . . . . P.

151 *Chlora perfoliata*. . . . . 6—9.

*Yellow Centaury*. . . E. B. 60.

Great Alne, Grafton. On the side of the turnpike  
road opposite Roll's Wood, &c. . . P.

Road side between Alcester and Stratford. W.G.P.

152 *Vaccinium Myrtillus*. . . . . 4—5.

*Bilberry. Bleaberry*. E. B. 456.

Lightwoods, near Birmingham. . . W.

Woods about Studley. . . . . P.

153 ——— *Vitis Idæa*. . . . . 3—6.

*Red Whortle-berry. Cow-berry.*

. . . . . E. B. 598.

Middleton, by the new park paling. . . R. C.

On boggy heaths between Middleton and Sutton. P.

By Mr. Worrall's farm near Coleshill heath. Sm.

- 
- 154 *Vaccinium Oxycoccus*. . . . . 6.  
*Cranberry*. . . . . E. B. 319.  
Sutton Coldfield Park. . . . . R.  
Birmingham heath. . . . . W.  
Near Packington. . . . . A, B. G.  
Coleshill bog. . . . . P.
- 155 *Erica vulgaris*,  $\beta$  S. Var. 2 W. 6—8.  
*Common Heath, or Ling, Var.*  
*Leaves and branches hoary.* .  
Birmingham heath. . . . . W.
- 156 ——— *Tetralix*. . . . . 7—8.  
*Cross-leaved Heath.* E. B. 1014.  
Studley Common. . . . . P.  
Wroxhall heath, &c. . . . . W. G. P.
- 157 ——— *cinerea*, Var. *Flore albo.* 6—8.  
*Fine-leaved Heath, Var. Flowers*  
*white.* . . . . .  
Coleshill heath. . . . . B, M. F.
- 158 *Daphne Laureola*. . . . . 3—4.  
*Spurge Laurel.* . . . . E. B. 119.  
Oversley Wood, Grafton, &c. . . . P.  
Newbold Comyn. . . . . Sm.



## 36 OCTANDRIA—MONOGYNIA.

---

Stank-hill farm, near Warwick. Warwick Castle  
Mount. On the Stratford and Birmingham roads,  
near Warwick, &c. . . . W. G. P.

- 159 *Acer Pseudo-platanus*. . . . 5—6.  
*Sycamore. Greater Maple.*  
. . . . . E. B. 303.  
Arrow. Oversley. Alcester. . . . P.  
Warwick. . . . . W. G. P.

## OCTANDRIA—TRIGYNIA.

- 160 *Polygonum amphibium*. . . . 7—8.  
*Amphibious Persicaria.* E. B. 436.  
Floating on the Avon, opposite Rev. H. Holyoake's,  
of Bidford Grange. At Kinwarton, on the  
Alce. . . . . P  
Mill pool near St. Nicholas' church, Warwick. W. G. P.
- 161 ——— *Bistorta*. . . . 5—6.  
*Bistort. Snake-weed.* E. B. 509.  
Meadows at Tamworth and Fazeley, *plentiful*. R.  
In the Garlick Meadows, near Penn's Mill,  
Erdington. . . . . W.  
Near Packington. . . . . A, B. G.  
In a field at Oversley. . . . . P.
- 162 ——— *aviculare*  $\delta$  S. Var. 4 W.  
*Knot-grass, Var. Leaves oval.* .  
Near Coleshill. . . . . W.

## OCTANDRIA—TRIGYNIA. 37

163 *Polygonum Fagopyrum*.<sup>\*</sup> . . . 7—8.

*Buck-wheat*. . . E. B. 1044.

Ridgeway. . . . . P.

In the Park, near Warwick Castle. W. G. P.

## OCTANDRIA—TETRAGYNIA.

164 *Paris quadrifolia*. . . . . 5—6.

*Herb Paris*. . . . . E. B. 7.

Locke's Bough, near Coleshill. . . A. B. G.

Spennall Park. . . . . P.

In a wood at Packington Outwards, to the E. of  
Packington Park. . . . . Sm.

165 *Adoxa Moschatellina*. . . . . 4—5.

*Tuberous Moschatell*. E. B. 453.

In the wood on the S. W. side of the pool at  
Edgbaston, *plentiful* In the woods to the N. of

Aston Park, near Birmingham. . . . . W.

Alcester Mill, in the rough ground by the Flood-  
gates. . . . . P.

Grove at Wootton Grange, &c. *not rare*. W. G. P.

## ENNEANDRIA—HEXAGYNIA.

166 *Butomus umbellatus*. . . . . 6—7.

*Flowering Rush*. . . E. B. 651.

About Tamworth. . . . . W.

---

<sup>\*</sup> *A doubtful native.*

## 33 ENNEANDRIA—HEXAGYNIA.

---

Oversley bridge. Ford at Great Alne mill by the  
Bridle Gate, &c. . . . . P.  
Priory pools, and in the Avon, Nicholas meadow,  
Warwick. Dam at Cattell's mill, Emscote.  
In the canal at Leamington. In the old canal,  
Longford, *plentiful*. . . . . W. G. P.

## DECANDRIA—MONOGYNIA.

167 *Pyrola media*. . . . . 6—8.  
*Intermediate Winter-green*. . . .  
. . . . . E. B. 1945.  
Wood at Meriden. . . . . B, M. F.

## DECANDRIA—DIGYNIA.

168 *Chrysosplenium alternifolium*. . . 3—5.  
*Alternate-leaved Golden Saxifrage*.  
. . . . . E. B. 54.  
Balsall Temple. . . . . B, M. F.  
Crackley Wood, near Kenilworth. . . W. G. P.

169 ———— *oppositifolium*. . . 4—5.  
*Opposite-leaved Golden Saxifrage*.  
. . . . . E. B. 490.  
Sambourne. Great Alne, . . . . P.  
Crackley Wood, near Kenilworth. A short distance  
up the rivulet which crosses the Kenilworth road  
about half a mile from Leek Wootton. W. G. P.

170 *Saxifraga granulata*. . . . . 4—6.

*White Saxifrage*. . . E. B. 500.

In the Garlick Meadows, near Penn's Mill, Erdington. On the hedge-bank by the side of the Sutton road, opposite Aston Park wall, one mile from Birmingham. . . . . W.

*Common*. . . . . P.

Between Leamington and Kenilworth. . . Sm.

Nicholas meadow, and Lammas fields, Warwick, *plentiful*. Pigwell quarry, Warwick. Roadside at Guy's Cliffe, &c. . . . . W. G. P.

171 ——— *tridactylites*.\* . . . . 4—6.

*Rue-leaved Saxifrage*. *Rue-leaved*

*Whitlow-grass*. . . E. B. 501.

*Common*. . . . . P.

*Ibid*. . . . . W. G. P.

172 ——— *Var. 2* W. . . . .

*Rue-leaved Saxifrage, Var. Stem*

*branched; upper Stem-leaves*

*opposite, lanceolate*. . . . .

On a tiled building, Warwick. . . W. G. P.

173 *Saponaria officinalis*. . . . . 7—9.

*Soap-wort*. . . E. B. 1060.

Hedge bank at Dunnington, opposite Mr. Gould's, P.

---

\* This plant is rare in some counties. .

174 *Dianthus Armeria*. . . . . 7—8.*Deptford Pink*. . . E. B. 317.

On a hedge bank leading from Coughton fields to  
Great Alne, in a field of Mr. Brown's, bounding  
the horse road. . . . . R, M. F.

By the side of the road from Warwick to Norton  
Lindsey, a short distance beyond the cross. W.G.P.

## DECANDRIA—TRIGYNIA.

175 *Stellaria nemorum*. . . . . 5—6.*Wood Stitch-wort*. . . E. B. 92.

In Mr. Purton's garden, Alcester. . . . P.

176 ——— *uliginosa*. . . . . 6.*Bog Stitch-wort*. . . E. B. 1074.

Hockley Pool dam, near Birmingham. . . W.

Cook-hill, on some boggy ground. . . . P.

Ditch on the W. side of the Common, and at the  
side of a pit in one of the Packmoor fields,  
Warwick. . . . . W. G. P.

177 *Arenaria rubra*. . . . . 6—8.*Purple Sand-wort*. . . E. B. 852.

Turnpike road to New Inn, Alcester parish. . . P.

Brought to me from between Milverton and  
Ashow. . . . . W. G. P.

178 *Cotyledon Umbilicus*. . . . 6—10,

*Navel-wort*. . . . E. B. 325.

Maxtock Priory, . . . . B, M F.

On the walls of the area of Guy's Cliffe house.

In the Old Pound, Coten-end, Warwick. W.G.P.

179 *Sedum Telephium*. . . . 8.

*Orpine*. . . . E. B. 1319.

Alne hills. . . . P.

180 ——— acre. . . . 6—7.

*Biting Stone-crop*. . E. B. 839.

Walls at Wixford, on the bridge, &c. . P.

About Warwick, *very common*. . W. G. P.

181 ——— reflexum. . . . 7.

*Yellow Stone-crop*. . E. B. 695.

On a wall at Salford, opposite Mr Penrice's,

Alcester, &c. . . . P.

Walls about Warwick, Bidford, &c. W. G. P.

182 *Cerastium semi-decandrum*. . 4—5.

*Least Mouse-ear*. . E. B. 1630.

At Kinwarton, in a field near the church. P.

Warwick. . . . W. G. P.

## 42 DECANDRIA—PENTAGYNIA.

---

- 183 *Spergula nodosa*. . . . . 7—9.  
*Knotted Spurrey*. . . E. B. 694.  
 Boggy ground in Sutton Park. . . . S. W.  
 Coleshill heath. . . . . B, M. F.

## DODECANDRIA—MONOGYNIA.

- 184 *Lythrum Salicaria*, Var. *Folliis ternis*,  
*caule hexagono*. . . . . 7—8.  
*Purple Loose-strife*. Var. *Leaves*  
*ternate, stem hexagonal*. . . .  
 At Emscote bridge. . . . . W. G. P.

## DODECANDRIA—TRIGYNIA.

- 185 *Reseda Luteola*. . . . . 6—7.  
*Dyer's-weed*. *Yellow-weed*. *Weld*.  
 . . . . . E. B. 320.  
 On the hedge bank in the turnpike road at New Inn,  
 (in the parish of Alcester,) and on the wall before  
 Mr. Penrice's house, Salford. . . . P.  
 Emscote. . . . . W. G. P.
- 186 *Euphorbia exigua*. . . . . 7—9.  
*Dwarf Spurge*. . . . E. B. 1336.  
*Common*. . . . . P.  
 Opposite Stoneleigh Lodge. Open field between  
 Harbury and Tachbrooke, *plentiful* W. G. P.

## ICOSANDRIA—PENTAGYNIA. 43

---

- 187 *Pyrus communis*. . . . . 4—5.

*Pear-tree*. . . . . E. B. 1784.

Great Alne. Kinwarton. . . . . P.

Hamptou-on-the hill. . . . . W. G. P.

- 188 ——— *torminalis*, (*Cratægus torminalis*.

W. & P.) . . . . . 4—5.

*Wild Service-tree*. . . . . E. B. 298.

On the side of the foot path to Mr. Petford's,

Alcester Park. . . . . P.

- 189 *Spiræa Filipendula*. . . . . 6—7.

*Drop-wort*. . . . . E. B. 284.

Speruall. Arrow. . . . . P.

## ICOSANDRIA—POLYGYNIA.

- 190 *Rosa spinosissima*. . . . . 6—7.

*Burnet Rose*. . . . . E. B. 187.

*Common*. . . . . P.

*Not rare*, on hilly ground, in the neighbourhood of

Warwick. . . . . W. G. P.

- 191 ——— *tomentosa*. . . . . 6—7.

*Downy-leaved Rose*. . . . . E. B. 990.

Allesley. . . . . B. M. F.



# 44 ICOSANDRIA—POLYGYNIA.

- 192 *Rosa rubiginosa*. . . . . 6—7.  
*Eglantine. Sweet Briar.*  
. . . . . E. B. 991.  
Alne Hills, above the village. . . . . P.
- 193 — *dumetorum*. . . . . 7.  
*Downy-stalked Rose.* E. B. 2579.  
*Common.* . . . . P.
- 194 *Rubus idæus*. . . . . 5—6.  
*Raspberry.* . . . . E. B. 2442.  
Wood on the S. side of Edgbaston Pool. In wet  
woods, and in thickets and rough places near  
rivulets, *common* about Birmingham. . W.  
Woods about Allesley. . . . . B. M. F.  
Crackley wood, near Kenilworth. . . W. G. P.
- 195 *Potentilla argentea*. . . . . 6—9.  
*Hoary Cinquefoil.* . . E. B. 89,  
On a sand rock near the Woodloes, Warwick. W. G. P.
- 196 *Tormentilla reptans*. . . . . 6—7.  
*Trailing Tormentil.* E. B. 864.  
Near Warwick. . . . . W. G. P.
- 197 *Geum rivale*. . . . . 6—7.  
*Water Avens.* . . . E. B. 106.  
In Warwickshire. . . . . R. C.

## ICOSANDRIA—POYLGYNIA. 43

198 *Comarum palustre*. . . . . 6—7.

*Marsh Cinquefoil*. . . . . E. B. 172.

S. W. side of Edgbaston Pool. . . . . W.

Coleshill Bog. . . . . P.

N. side of Bannersley Pool. . . . . Sm.

## POLYANDRIA—MONOGYNIA.

199 *Nymphaea alba*. . . . . 7.

*White Water-lily*. . . . . E. B. 160.

In a pond at Ragley. . . . . P.

200 *Cistus Helianthemum*. . . . . 6—8.

*Dwarf Cistus*. . . . . E. B. 1321.

*Common*. . . . . P.

High bank half-a-mile from Hatton, on the road  
to Warwick. . . . . W. G. P.

## POLYANDRIA—PENTAGYNIA.

201 *Aquilegia vulgaris*. . . . . 6—7.

*Columbine*. . . . . E. B. 297.

Corley Woods. . . . . B, M. F.

## POLYANDRIA—POLYGYNIA.

202 *Clematis Vitalba*. . . . . 7—8.

*Traveller's-joy*. . . . . E. B. 612.

*Common* (on calcareous soil) . . . . . P.

46 POLYANDRIA—POLYGYNIA.

---

Hedges on high ground between Norbrooke and  
Norton Lindsey. . . . W. G. P.

203 *Thalictrum flavum*. . . . 6—7.

*Meadow-Rue*. . . . E. B. 367.

Banks of the Avon at Bidford. The Arrow near  
Beauchamp's Court. . . . P.

Banks of the Leam at Leamington. . . Sm.  
Barford meadow. Banks of the Leam between  
Leamington and Radford. . . W. G. P.

204 *Ranunculus bulbosus*, Var. *Flore pleno*. 5.

*Bulbous Crowfoot*, Var. *Flowers*  
*full*. . . . .

At Leamington. . . . Sm.  
Near Warwick. . . . W. G. P.

205 ——— *acris*, Var. 2 W. . . 6.

*Upright Meadow Crowfoot*, Var.

*Peduncles flattened, flowers smaller*.

Pool dam in Edgbaston Park. . . . W.

206 ——— *parviflorus*. . . . 5—6.

*Small-flowered Crowfoot*. . . .

. . . . E. B. 120.

Road sides, on gravelly ditch banks, *not rare*. P.

Top of Oversley hill. Hedge banks near Alcester  
Mill, on the Worcester road. . . W. G. P.

207 *Ranunculus hederaceus*. . . . 5—8.

*Ivy Crowfoot*. . . E. B. 2003.

In a ditch by Brisland's End, near Birmingham. W.

Common. . . . . P.

Rare in the neighbourhood of Warwick. Road-side

between Hatton and Rowington. . . W. G. P.

208 ————— *aquatilis*,  $\delta$  S. Var.  $\delta$  W.

(*R. fluviatilis*, P.) . . . . 5—7.

*Water Crowfoot*, Var. *All the*  
*leaves capillary, segments very*  
*long, parallel.* . . . .

In the Thame, and rivulets flowing into it, about  
Tamworth and Middleton. . . . R.

Not very rare. . . . . P.

In the Avon, at the Weir bridge, Stratford-upon-  
Avon, &c. . . . . W. G. P.

209 *Helleborus viridis*. . . . . 4—5.

*Green Hellebore*. . . E. B. 200.

In a field near Studley Castle. . . . P.

210 ————— *foetidus*. . . . . 3—4.

*Stinking Hellebore*. *Bears'-foot*.

. . . . . E. B. 613.

Studley Castle. Bunnington. Arrow. . . P.

## 48 DIDYNAMIA—GYMNOSPERMIA.

---

211 *Ajuga reptans*, Var. *Flore albo*. 5—7.

*Common Bugle*, Var. *Flowers white*.

In a field at Small Heath House, near Birmingham. . . . . W.

212 *Teucrium Scorodonia*. . . . . 7.

*Wood Sage*. *Wood Germander*.

. . . . . E. B. 1543.

Pophills lane. About Fitchell. Ragley Woods, &c. . . . . P.

Hatton Wood. Road-side between Hatton and Warwick, and between Leek Wootton field and Stonleigh, &c. . . . . W. G. P.

213 *Nepeta Cataria*. . . . . 7.

*Cat-mint*. . . . . E. B. 137.

Oversley, by the side of the turnpike road (and) on hedge banks in Mr. Edkins's fields. . . . . P.

Near Stratford, on the Warwick road, opposite Welcombe hills. Road-side between Warwick New Bridge and Myton. . . . . W. G. P.

214 *Verbena officinalis*. . . . . 7—9.

*Vervain*. . . . . E. B. 767.

Roadsides, near to towns, *common*. . . . . P.

Roadside between Barford and Charlecote. Sm.

At the foot of Stank hill, near Warwick. W. G. P.

215 *Mentha piperita*. . . . . 8—9.

*Pepper Mint*. . . . . E. B. 687.

Near the river at Tamworth. . . . . W.

Near Coughton Mill. Side of the Alne river. P.

216 ——— *gracilis*, (M. *gentilis*, P.) . 8.

*Narrow-leaved Mint*. E. B. 449.

Side of the river Alne. Oversley, near the  
bridge. . . . . P.

217 ——— *Pulegium*. . . . . 8—9.

*Penny-royal*. . . . . E. B. 1026.

Side of a pool at Erdington. . . . . W.

218 *Galeopsis Ladanum*,  $\beta$  S. Var. 2 W. 9.

*Red Hemp-nettle*, Var. *Calyx woolly*.

In a corn-field two miles W. of Stratford-upon-Avon,  
near a lime-stone quarry. . . . . W.

219 ——— *versicolor*, (G. *cannabina*, W.)

. . . . . 7—8.

*Large-flowered Hemp-nettle*. . .

. . . . . E. B. 667.

Under a moist hedge at Birches Green, near  
Birmingham. . . . . W.

Near Colehill. . . . . A, B. G.

Near Birmingham. . . . . C, E. B.

## 30 DIDYNAMIA—GYMNOSPERMIA.

---

220 *Galeobdolon luteum*. . . . . 5.

*Yellow Archangel*. . . E. B. 787.

*Frequent*. . . . . W.

About Oversley, Rosall (near Exhall,) &c. . . P.

On the side of the road between Emscote and  
Lillington. . . . . Sm.

Lane between Dun's Pits and Crackley Wood, near  
Kenilworth. In Warwick Castle Park. W. G. P.

221 *Marrubium vulgare*. . . . . 7—9.

*White Horehound*. . . E. B. 410.

On the side of the turnpike road, near to  
Alcester Lodge. . . . . P.

222 *Leonurus Cardiaea*. . . . . 6—8.

*Mother-wort*. . . . E. B. 286.

King's Coughton. . . . . P.

223 *Thymus Acinot*. . . . . 6—8.

*Basil Thyme*. . . . E. B. 411.

Grafton and Rolls' Wood fields. . . . P.

224 ——— *Calamintha*. . . . . 6—8.

*Calamint*. . . . . E. B. 1676.

Near Tamworth Castle. . . . . W.

Wixford. Pophills lane, &c. . . . P.

## DIDYNAMIA—GYMNOSPERMIA. 51

---

Warwick Castle Mount. Road sides. Hatton.  
 Side of the road opposite the Nunnery at Abbot's  
 Salford. Near Leamington, on the Warwick  
 road. . . . . W. G. P.

225 *Scutellaria galericulata*. . . . 7—8.

*Skull-cap*. . . . E. B. 523.

Side of the stews at Edgbaston. . . . W.  
 Side of the Arrow and river Alce. . . . P.  
 Banks of the Leam, at Leamington. . . . Sm.  
 Near Warwick Race Stand, &c. not rare. W. G. P.

226 ——— minor. . . . . 7—8.

*Lesser Skull-cap*. . . . E. B. 524.

Packington. . . . . A, B. G.  
 Sutton Coldfield. . . . . R, M. F.

## DIDYNAMIA—ANGIOSPERMIA.

227 *Melampyrum arvense*. . . . . 7.

*Purple Cow-wheat*. . . . E. B. 53.

Packington. . . . . A, B. G.

228 ——— pratense. . . . . 7—8.

*Yellow Cow-wheat*. . . . E. B. 113.

Woods about Studley. Sperrall Park. . . . P.  
 Green's Grove, near Hatton, &c. . . . W. G. P.



- 229 *Melampyrum pratense*,  $\beta$  S. Var. 2 W.  
 . . . . . 7—8.  
*Yellow Cow-wheat*, Var. Flower  
 white, lower lip marked with two  
 yellow spots. . . . .  
 Woods at Edgbaston. . . . . W.
- 230 *Antirrhinum Cymbalaria*.\* . . . 5—11.  
*Ivy-leaved Snap-dragon*. E. B. 502.  
 St. Mary's Church-yard wall, and on a wall in  
 Mellos' lane, Warwick. . . . W. G. P.
- 231 ——— *spurium*. . . . . 7—9.  
*Round-leaved Fluellin*. E. B. 691.  
 Grafton. . . . . P.
- 232 ——— *Elatine*. . . . . 7—10.  
*Sharp-pointed Fluellin*. E. B. 692.  
 Grafton. Kinwarton. . . . . P.
- 233 ——— *minus*. . . . . 6—9.  
*Least Snap-dragon*. E. B. 2014.  
 In a field behind Union Parade, Leamington. Sm.
- 234 ——— *majus*. . . . . 6—8.  
*Great Snap-dragon*. E. B. 129.  
 Salford. . . . . P.

---

\* Originally a native of Italy.

## DIDYNAMIA—ANGIOSPERMIA. 53

---

- 235 *Digitalis purpurea*. . . . . 6—7.

*Purple Fox-glove*. E. B. 1297.

Alcester heath. Sambourne. . . . . P.

Ashow. Kenilworth, on the Coventry road. Guy's

Cliffe. Milverton. Between Warwick and

Knowle, &c. . . . . W. G. P.

- 236 *Limosella aquatica*. . . . . 7—9.

*Mud-wort*. . . . . E. B. 357.

On the road near Coleshill Pool. . . . . A, B. G.

- 237 *Orobancha major*. . . . . 5—7.

*Greater Broom-rape*. E. B. 421.

Among gorse (*Ulex europæus*) by the side of the  
road from Pophills, leading to Mr. Gould's of  
Dunnington. . . . . P.

In a wood, a mile N.E. by E of Packington Hall. Sm.

Upon the roots of *Ulex europæus*, near the entrance  
of the road from Leek Wootton field, towards  
Ashow. . . . . W. G. P.

## TETRADYNAMIA—SILICULOSA.

- 238 *Teesdalia nudicaulis*, (*Iberis nudicaulis*,  
S. W. & P.) . . . . . 5—7.

*Naked-stalked Candy-tuft*. . . . .

. . . . . E. B. 327.

By the side of the road near Packington, where it  
divides to Coleshill & Castle Bromwich. A, B. G.

## 51 TETRADYNAMIA—SILICULOSA.

---

- Coleshill heath. . . . . B, M. F.  
 Sand rock near Milverton. . . . . W. G. P.
- 239 *Thlaspi arvense*. . . . . 6—7.  
*Smooth Mithridate Mustard*. . . . .  
 . . . . . E. B. 1659.  
 Corn fields about Kingsbury. . . . . R, C.  
 Alne Hills, Salford, . . . . . P.  
 In a newly-made garden, in the Saltisford,  
 Warwick. . . . . W. G. P.
- 240 *Cochlearia officinalis*. . . . . 4—5.  
*Scurry-grass*. . . . . E. B. 551.  
 Packington. . . . . A, B. G.
- 241 ——— *Armoracia*. . . . . 5.  
*Horse-radish*. . . . . E. B. 2323.  
 On the river Arrow, near Oversley bridge. P.

## TETRADYNAMIA—SILICUOSA.

- 242 *Cardamine hirsuta*. . . . . 3—6.  
*Hairy Ladies'-smock*. E. B. 492.  
 Common in Warwickshire. . . . .  
 Coughton Lane. Sambourne, &c. . . . . P.  
 Common in the neighbourhood of Warwick. W. G. P.

# TETRADYNAMIA—SILIKUOSA. 55

- 243 *Cardamine hirsuta*, Var. *Caule flexuoso*,  
(*C. flexuosa*, W. & P.) . . . 5—7.

*Hairy Ladies'-smock*, Var. *Stem*  
*zig-zag*. . . . .

*Common* in Warwickshire. . . . . R.

Rookery at Edgbaston, and in ditches at the tail of  
the pool. . . . . W.

The Rough at Alcester Mill. . . . . P.

Near the old bath, West-street, Warwick. Side of  
the brook, Baly's Lammas, &c. Warwick. W.G.P.

- 244 ——— *amara*. . . . . 4—5.

*Bitter Ladies'-smock*. E. B. 1000.

Near Middleton. . . . . R.

Aston, near Birmingham. . . . . W.

River Alne, near Hoo Mill, (near Haslor.) Arrow  
at Oversley, &c. . . . . P.

- 245 *Sisymbrium terrestre*. . . . . 6—9.

*Annual Water-rocket*. E. B. 1747.

In the ditches on the Alcester side of Oversley  
Mill. . . . . P.

In wet places near the Race Stand, Warwick.

Close to the bridge at Baginton. Road-side  
between Haseley and Haseley Green, near the  
Windmill field. . . . . W. G. P.

## 36 TETRADYNAMIA—SILIKUOSA.

---

246 *Sisymbrium amphibium*. . . . 6—8.

*Great Water Rocket. Great*

*Water Radish*. . . E. B. 1840.

Side of the river and wet ditches at Tamworth. W.

*Common*. . . . . P.

Avon, Nicholas' meadow, Warwick, &c. W. G. P.

247 ——— *tenuifolium*. . . . 7—10.

*Wall Rocket*. . . E. B. 525.

Kinwarton. . . . . P.

248 ——— *Sophia*. . . . . 7.

*Flix-weed*. . . E. B. 963.

Studley Castle. At Dunnington in Mr. Gould's

fold-yard. . . . . P.

249 *Cheiranthus fruticosus*, (C. Cheiri, P.)

. . . . . 5—6.

*Wall-flower*. . . E. B. 1934.

Walls at Warwick, plentiful. . . W. G. P.

250 *Arabis thaliana*. . . . . 4.

*Wall-cress*. . . E. B. 901.

Coughton. Sambourne. Oversley. . . P.

About Warwick. . . . . W. G. P.

## TETRADYNAMIA—SILIKUOSA. 57

---

251 *Turritis glabra*. . . . . 5—6.

*Smooth Tower-mustard*. E. B. 777.

On Dort's hill, near Tamworth. . . . . R.

252 *Brassica Napus*. . . . . 5.

*Rape. Navew. Cole-seed*. . . . .

. . . . . E. B. 2146.

Arrow, on a hedge bank bordering a corn-field, in  
the road leading to Cook-hill. . . . . P.

253 *Sinapis alba*. . . . . 6—8.

*White Mustard*. . . . . E. B. 1677.

Grafton. . . . . P.

254 ——— *nigra*. . . . . 6.

*Common Mustard*. . . . . E. B. 969.

In a field at Exhall, near to Rosall. . . . . P.

## MONADELPHIA—PENTANDRIA.

255 *Erodium cicutarium*, (*Geranium cicutarium*, W.) . . . . . 4—10.

*Hemlock Stork's-bill*. E. B. 1768.

In a sandy field by the Aqueduct, near to  
Warwick, &c. . . . . W. G. P.

## 38 MONADELPHIA—PENTANDRIA.

---

- 256 *Erodium moschatum*, (*Geranium moschatum*, W.) . . . 5—10.  
*Musky Stork's-bill.* E. B. 902.  
 At Cook-hill, on the Ridgeway. . . P.

## MONADELPHIA—DECANDRIA.

- 257 *Geranium sylvaticum*. . . 6—7.  
*Wood Crane's-bill.* E. B. 121.  
 Oversley Wood. . . P.
- 258 ——— *pratense*. . . 6—7.  
*Crowfoot-leaved Crane's-bill.* .  
 . . . E. B. 404.  
 Allesley. . . A, B. G.  
*Common.* . . P.  
*Not rare* in the neighbourhood of Warwick. W.G.P.
- 259 ——— *lucidum*. . . 5—8.  
*Shining Crane's-bill.* E. B. 75.  
 At Warwick and Kenilworth. . . P.  
 Side of the turnpike road between Warwick and  
 Longbridge. Hedge banks in the Basin Piece  
 near the Brick-yard, Saltisford. About Stank-  
 hill, and in a green lane near the Race Course,  
 Warwick. . . W. G. P.

## MONADELPHIA—DECANDRIA. 59

---

260 *Geranium columbinum*. . . . 6—8.

*Long-stalked Crane's-bill*. . . .

. . . . . E. B. 259.

Wixford Lane. . . . . P.

Opposite the Windmill Inn, between Warwick  
and Stratford, growing among *Ulex euro-*  
*pæus*. . . . . W. G. P.

## MONADELPHIA—POLYANDRIA.

261 *Malva moschata*. . . . . 7—8.

*Musk Mallow*. . . . E. B. 754.

Warwickshire. . . . . H.

King's Coughton. The fields between Coughton  
Court and Alcester, &c. . . . . P.

Near Stonleigh. Hatton. On the Stratford and  
Kenilworth roads to Warwick, &c. . . . W. G. P.

## DIADELPHIA—HEXANDRIA.

262 *Fumaria lutea*. . . . . 5.

*Yellow Fumitory*. . . . E. B. 588.

On walls in Mellos' lane and St. Mary's Church-  
yard, Warwick. Under a wall opposite Mr.  
Penrice's, Abbot's Salford. . . . W. G. P.



60     DIADELPHIA—HEXANDRIA.

---

263 *Fumaria claviculata*. . . . . 6—9:

*White Climbing Fumitory*. . . . .

. . . . . E. B. 103.

In some of the least frequented lanes about  
Birmingham. . . . . W.

On Gravel Hill, near Erdington. . . . . W. G. P.

DIADELPHIA—OCTANDRIA.

264 *Polygala vulgaris*, Var. *Flore incarnato*. . . . . 6—7.

*Milk-wort*, Var. *Flowers flesh-coloured*. . . . .

On the turnpike road from Warwick to Stratford,  
at the turn to Snitterfield, &c. . . . . W. G. P.

DIADELPHIA—DECANDRIA.

265 *Genista tinctoria*. . . . . 7—8,

*Dyers' Green-weed*. . . . . E. B. 44,

Coughton fields. Near Beauchamp's Court,  
&c. . . . . P.

On a hill in the foot-road from Emscote to Leamington. In Green's Grove, Hatton, &c. *plentiful*. . . . . W. G. P.

- 
- 266 *Genista anglica*. . . . . 5—6,  
*Needle-furze, Petty Whin*. ,  
. . . . . E. B. 132.  
Coleshill heath. . . . . B, M. F.  
On the left hand side of the road from Stone-bridge  
to Elmdon. . . . . Sm,  
Brought to me from Bradnock's Marsh. W, G, P.
- 267 *Anthyllis vulneraria*. . . . . 5—8.  
*Kidney Vetch. Ladies'-finger*. ,  
. . . . . E. B. 104.  
Kinwarton. Coughton fields. Shottery. . P.
- 268 *Lathyrus Aphaca*. . . . . 6—9.  
*Yellow Vetchling*. . E. B. 1167.  
Alne Hills. . . . . P.
- 269 ——— *Nissolia*. . . . . 5.  
*Crimson Grass Vetch*. E. B. 112,  
Coughton. Great Alne. . . . . P.
- 270 ——— *sylvestris*.\* . . . . 7—8.  
*Narrow-leaved Everlasting Pea*.  
. . . . . E. B. 805.  
Spernall Park. . . . . P.  
Green's Grove, Hatton. In a thicket near Baly's  
Locks, Warwick. . . . . W. G. P.
- 

\* *Lathyrus latifolius* of the M. F. is found to be *L. sylvestris*.

62      DIADELPHIA—DECANDRIA.

---

271 *Vicia lathyroides*. . . . . 4—5.

*Spring Vetch*. . . . . E. B. 30.

On the side of the bridle road from Spennall to  
Studley. . . . . P.

272 *Ornithopus perpusillus*. . . . . 5—9.

*Bird's-foot*. . . . . E. B. 369.

Winson Green and Washwood Heath near Bir-  
mingham. . . . . W.

Coleshill heath. . . . . P.

About Packington. . . . . Sm.

Stonleigh new road, &c. . . . . W. G. P.

273 *Hedysarum Onobrychis*. . . . . 6—7.

*Saintfoin*. . . . . E. B. 96.

Grafton. Bilsley. . . . . P.

274 *Astragalus glycyphyllos*. . . . . 6—7.

*Wild Liquorice. Sweet Milk Vetch*.

. . . . . E. B. 203.

Oversley. Grafton. . . . . P.

275 *Trifolium officinale*. . . . . 6—7.

*Melilot*. . . . . E. B. 1340.

Spennall. Kinwarton. Grafton. . . . . P.

Open field between Harbury and Tachbrook.

On the road-side between Warwick and Tach-  
brook. Near Stratford. . . . . W. G. P.

# DIADELPHIA—DECANDRIA. 69

276 *Trifolium medium*. . . . . 7.

*Zig-zag Trefoil*. . E. B. 190.

Overley Hill. Bilsley field. . . . . P.

Leamington, &c. . . . . W. G. P.

277 ——— *arvense*. . . . . 7—8.

*Hare's-foot Trefoil*. E. B. 944.

Salford. Dunnington. . . . . P.

Leek Wootton field. Stone quarry near the  
Woodloes, Warwick. . . . . W. G. P.

278 ——— *striatum*. . . . . 6.

*Soft knotted Trefoil*. E. B. 1843.

On Dort's-hill, near Middleton. . . . . R, C.

279 ——— *fragiferum*. . . . . 7—8.

*Strawberry-headed Trefoil*. . . .

. . . . . E. B. 1050.

Overley. Kinwarton. . . . . P.

280 *Medicago sativa*. . . . . 6—7.

*Lucerne. Purple Medick*. . . .

. . . . . E. B. 1749.

Grafton. . . . . P.

64      DIADELPHIA—DECANDRIA,

---

- 281 *Medicago maculata*, (M. polymorpha,  
     a S. Var. 1 W.) . . . . 5—6.  
     *Heart Medick.* . . . E. B. 1616.  
     Stone quarry in the Pigwells, and near the gate of  
     Godfrey's Lammas, Warwick. . . W. G. P.

POLYADELPHIA—POLYANDRIA.

- 282 *Hypericum dubium*. . . . . 7—8.  
     *Imperforate St. John's-wort.* . . .  
     . . . . . E. B. 296.  
     In Mr. Digby's plantation at Meriden. . . W.  
     Near Meriden. . . . . A. B. G.  
     Between Leek Wootton field and Stonleigh. W.G.P.
- 283 ————— *humifusum*. . . . . 7.  
     *Trailing St. John's-wort.* . . .  
     . . . . . E. B. 1226.  
     King's Coughton. Alcester heath. . . . P.  
     Opposite Stonleigh Lodge. At the Woodloes, near  
     Warwick. On the turnpike-road from Warwick  
     to Leamington, &c. . . . . W. G. P.
- 284 ————— *pulchrum*. . . . . 6—7.  
     *Small upright St. John's-wort.* . . .  
     . . . . . E. B. 1227.  
     On a sloping bank near the wall on the E. side of  
     Edgbaston Park. . . . . W.

## POLYADELPHIA—POLYANDRIA. 65

---

Oversley Wood. Ragley Woods, &c. . . P.  
 Baginton Park. Leek Wootton field. On a bank  
 half-a-mile from Hatton on the Warwick road,  
 &c. . . . . W. G. P.

285 *Hypericum elodes*. . . . . 7—8.

*Marsh St. John's-wort*. E. B. 109.

Bogs on Birmingham heath. . . . . W.  
 Coleshill Bog and Pool. . . . . P.

## SYNGENESIA—POLYGAMIA-ÆQUALIS.

286 *Tragopogon porrifolius*. . . . . 5—6.

*Purple Goat's-beard*. E. B. 638.

At Mr. Martin's, Gorcott Hall. . . . . P.

287 *Lactuca virosa*. . . . . 7—9.

*Strong-scented Lettuce*. E. B. 1957.

Road-sides, Stonebridge. . . . . B, M. F.

On the left hand side of the road from Stonebridge  
 to Meriden. . . . . Sm.

288 *Prenanthes muralis*. . . . . 7.

*Ivy-leaved Lettuce*. . E. B. 457.

In a wet shady lane between Middletown and  
 Sambourne. On the hedge-bank between Wash-  
 ford and the Boot at Mapleborough Green. P.  
 On walls in Mellos' Lane and Vineyard Lane,  
 Warwick. . . . . W. G. P.

66 SYNGENESIA—POLYG.-ÆQUALIS.

---

- 289 *Hieracium murorum*. . . . 6—7.  
*Wall Hawk-weed. Golden Lung-*  
*wort.* . . . . E. B. 2082.

On the bank by the side of the turnpike road at  
 Marsom's Gate, (Dunnington.) Oversley Wood,  
 &c. . . . . P.

- 290 ——— *sylvaticum*. . . . 6—7.  
*Wood Hawk-weed.* E. B. 2031.  
 Walls in Warwick, *plentiful*. . . W. G. P.

- 291 ——— *subaudum*. . . . 8—9.  
*Shrubby Hawk-weed.* E. B. 349.  
 Oversley Wood. Ragley Woods. . . P.  
 Hatton Wood. . . . . W. G. P.

- 292 ——— *umbellatum*. . . . 7—9.  
*Narrow-leaved Hawk-weed.* . . .  
 . . . . . E. B. 1771.  
 Ditch banks near Birmingham. . . W.  
 On the walls at Warwick Castle. . . P.  
 On the Castle Garden wall, Vineyard Lane, at the  
 back of the green house, Warwick. W. G. P.

- 293 *Hypochaeris glabra*. . . . 6—8.  
*Smooth Cat's-car.* . . E. B. 575.  
 On the gravelly grounds, near Middleton. R.  
 Washwood Heath, near Birmingham. . W.

294 *Cichorium Intybus*. . . . . 7—8.

*Succory*. . . . . E. B. 539.

Tamworth Castle. . . . . W.

*Not rare*. . . . . P.

Between Warwick and Stratford. On the road  
from Tachbrooke to Harbury, *plentiful*. W. G. P.

295 *Carduus nutans*. . . . . 6—8.

*Musk Thistle*. . . . . E. B. 1112.

Red Hill and Grafton, *plentiful*. . . . . P.

On the road from Stratford to Warwick, &c.

*not rare*. . . . . W. G. P.

296 ——— *marianus*. . . . . 6—8.

*Milky Thistle*. . . . . E. B. 976.

Alcester. Coughton. . . . . P.

Hedge bank on the N. side of the Common,  
Warwick. In a lane leading from Nicholas'  
meadow to the Enscote road, and in the Saltis-  
ford brick-yard, Warwick. . . . . W. G. P.

297 *Cnicus eriophorus*, (*Carduus eriophorus*,  
S, W, & P.) . . . . . 7—8.

*Woolly-headed Thistle*. E. B. 386.

*Not rare*. . . . . P.

On the road from Warwick to Stratford, at the turn  
to Snitterfield. Between Warwick and Hatton.

On the road from Harbury to Tachbrooke.

Binton. Oversley hill, &c. . . . . W. G. P.



68 SYNGENESIA—POLYG.-ÆQUALIS.

---

298 *Cnicus pratensis*, (*Carduus pratensis*, S,  
W, & P.) . . . . 5—6.

*Meadow Thistle*. . . E. B. 177.

Packington, . . . . A. B. G.

299 ——— *acaulis*, (*Carduus acaulis*, S, W,  
& P.) . . . . 7—8.

*Dwarf Thistle*. . . E. B. 161.

Opposite Moorhall, on the Bidford road, (from  
Alcester) Between Alcester and Red-hill, on  
the hedge bank. . . . P.

Longcompton Hill. . . . W. G. P.

300 *Onopordium Acanthium*. . . . 7—8.

*Cotton Thistle*. . . E. B. 977.

Bidford. Broome. . . . P.

Near the Old Pound, Coten-end, Warwick. In a  
lane leading from Nicholas' meadow to the Emscote  
road, Warwick. . . . W. G. P.

301 *Carlina vulgaris*. . . . 6.

*Carlina*. . . . E. B. 1144.

Oversley Hill. . . . P.

Between Leek Wootton field and Ashow. Welcombe  
Hills, near Stratford. . . . W. G. P.

# SYNGENESIA—POLYG.—EQUALIS. 69

302 *Bidens cernua*. . . . . 8—9.

*Nodding Bur-marygold*. . . . .

. . . . . E. B. 1114.

Oversley. Sambourne. Middletown. . . P.

River Avon, Leek Wootton field. River Sow, at

Baginton bridge. At the E. side of the mill pool

near St. Nicholas' Church, Warwick. W. G. P.

303 —————  $\gamma$  S. Var. 3 W. . . 10.

*Nodding Bur-marygold*. Var.

*Dwarf*. . . . .

Near Birmingham. . . . . W.

304 *Eupatorium cannabinum*. . . . . 7—8.

*Hemp Agrimony*. . E. B. 428.

Oversley, near the Bridge. Red Hill, by the side  
of the road. . . . . P.

Lane between the Pigwells and the canal, Warwick,

Between Wedgenock Park and Fern Hill,

plentiful. . . . . W. G. P.

## SYNGENESIA—POLYG.—SUPERFLUA.

305 *Tanacetum vulgare*. . . . . 6—8.

*Tansy*. . . . . E. B. 1229.

Oversley. Opposite Alcester Mill, on the side of

the turnpike road. Near to Hertford bridge,

(Alcester.) . . . . . P.

## 70 SYNGENESIA—POLYG.-SUPERFL.

---

Between Leamington and Kenilworth. . . Sm.  
 Saint Mary's Church yard and College walls,  
 Warwick. Side of the Avon between Nicholas'  
 meadow and the aqueduct, Warwick. Hatton  
 hill, &c. . . . . W. G. P.

306 *Gnaphalium rectum*. . . . . 8.

*Upright Cudweed*. . . E. B. 124.

Packington. . . . . A. B. G.

Ridgeway, near Cook-hill. Between Wixford and  
 Bidford, on the side of the road. . . . P.

307 *Conyza squarrosa*. . . . . 7—9.

*Plowman's Spikenard*. E. B. 1195.

*Common*. . . . . P.

Road-side between Warwick and Myton. Hilly  
 field on the foot-road from Emscote to Leaming-  
 ton. . . . . W. G. P.

308 *Erigeron acre*. . . . . 7—8.

*Blue Flea-bane*. . . E. B. 1158.

Allesley. Meriden. . . . . B. M. F.

309 *Tussilago hybrida*. . . . . 4.

*Long-stalked Butter-bur*. . . .

. . . . . E. B. 430.

At Hoo-mill (near Haslor,) on a willow bed. . . P.

# SYNGENESIA—POLYG.-SUPERFL. 71

- 310 *Senecio sylvaticus*. . . . . 7—8.  
*Mountain Groundsel*. E. B. 748.  
 Lanes about Birmingham. . . . . W.  
 Alcester field, between Alcester Lodge and  
 New Inn. . . . . P.  
 Road side between Birmingham and Erdington,  
*plentiful*. . . . . W. G. P.
- 311 *Solidago Virgaurea*. . . . . 7—9.  
*Golden-rod*. . . . . E. B. 301.  
 Between Leek Woolton and Stonleigh. W. G. P.
- 312 *Inula Helenium*. . . . . 7—8.  
*Elecampane*. . . . . E. B. 1546.  
 Studley, in the Castle field. Grafton. . . . . P.
- 313 — *pulicaria*. . . . . 8—10.  
*Small Flea-bane*. . . . . E. B. 1196.  
 About Wishaw, near Coleshill, . . . . . W.
- 314 *Anthemis arvensis*. . . . . 6—9.  
*Corn Chamomile*. . . . . E. B. 602.  
 On the Ridgeway, upon the new-made turf mounds,  
*plentiful*. . . . . P.
- 315 *Achillea Millefolium*, Var. 2 W. 6—8.  
*Yarrow*, Var. *Flowers purplish-red*.  
 Near Warwick. . . . . W. G. P.

72 GYNANDRIA—MONANDRIA.

---

316 *Orchis bifolia*. . . . . 5—6.

*Butterfly Orchis*. . . E. B. 22.

*Common*. . . . . P.

In a copse N. of Leamington. . . Sm.

In a Plantation near the Saltisford Common,  
Warwick. . . . . W. G. P.

317 ——— *pyramidalis*. . . . . 6—7.

*Pyramidal Orchis*. . . E. B. 110.

Ragley park, opposite Kingley. Grafton. P.

Brought to me from Walton Hall, and the road-side  
leading to Pillerton. . . . . W. G. P.

318 ——— *viridis*, (*Satyrium viride*, S, W,  
& P.) . . . . . 6—8.

*Frog Orchis*. . . . . E. B. 94.

Meadows about Cold Comfort, (a farm in the parish  
of Arrow.) Oversley Hill. . . . . P.

319 ——— *conopsea*. . . . . 6.

*Aromatic Orchis*. . . E. B. 10.

Cold Comfort. (Arrow.) Oversley. . . P.

Chenlesley wood, (near Coleshill.) Bannarsley  
pool, Coleshill. . . . . B. M. F.

- 320 *Neottia spiralis*, (*Ophrys spiralis*, S, W,  
& P.) . . . . . 8—10.

*Ladies'-traces*. . . . E. B. 541.

In a field close to the brick kiln in the road from  
Bidford to Binton. At Snitterfield, near to the  
Lodge Farm. . . . . P.  
Among *Ulex europæus* in a field crossed by the foot-  
road from Warwick to Hampton-on-the-hill, W.G.P.

- 321 *Listera ovata*, (*Ophrys ovata*, S, W, & P.)  
. . . . . 5—6.

*Twayblade*. . . . E. B. 1548.

*Common*. . . . . P.  
In a copse N. of Leamington. . . . Sm.  
In a plantation near the Saltisford Common,  
Warwick, &c. . . . . W. G. P.

- 322 *Epipactis latifolia*, (*Serapias latifolia*, S,  
W, & P.) . . . . . 7—8.

*Broad-leaved Helleborine*.

. . . . . E. B. 269.  
In the Red Rock Plantation, Edgbaston Park. W.  
Ragley Woods. . . . . P.  
Near Leamington, on the N. road to Warwick.  
(Pointed out by Mr. Smith.) . . W. G. P.

## 74 GYNANDRIA—MONANDRIA.

---

- 323 *Epipactis palustris*, (*Serapias palustris*, S.  
& W.,—*S. longifolia*, P.) . . . 7.

*Marsh Helleborine.* E. B. 270.

Oversley Wood. . . . . P.

Bannersley Pool. . . . . Sm.

- 324 ——— *ensifolia*, (*Serapias ensifolia*, S,  
W, & P.) . . . . . 5—6.

*Narrow-leaved Helleborine.*

. . . . . E. B. 494.

Oversley Wood. Ragley Woods. . . . . P.

- 325 ——— *Nidus-avis*, (*Ophrys Nidus-avis*,  
S, W, & P.) . . . . . 5—6.

*Bird's-nest.* . . . . E. B. 48.

Ragley Woods. Oversley Wood. . . . . P.

Middleton Woods. . . . . B, M. F.

### MONÆCIA—MONANDRIA.

- 326 *Zannichellia palustris*. . . . . 6—7.

*Horned Pond-weed.* E. B. 1844.

Kinwarton. Oversley. , . . . . P.

### MONÆCIA—TRIANDRIA.

- 327 *Typha angustifolia*. . . . . 6—7.

*Lesser Reed-mace.* E. B. 1456.

In a pit on Alne Hill, near Shelfield. R, M. F.

328 *Sparganium simplex*. . . . . 7—8.

*Unbranched Bur-reed*. E. B. 745.

Near to the Lodge Farm, Snitterfield. Washford,  
near the bridge. . . . . P.

329 ——— *natans*. . . . . 7.

*Floating Bur-reed*. . E. B. 273.

Packington. . . . . A, B, G.

330 *Carex pulicaris*. . . . . 6.

*Flea Carex*. . . . E. B. 1051.

About Middleton. . . . . R, C.

On some marshy ground, near Rugby. . . . . P.

331 ——— *stellulata*. . . . . 5—6.

*Little prickly Carex*. E. B. 806.

About Middleton. . . . . R, C.

332 ——— *curta*. . . . . 6.

*White Carex*. . . . E. B. 1986.

\* In a pool in a grove not far from Middleton,  
towards Coleshill. . . . . R.

333 ——— *intermedia*. . . . . 5—6.

*Soft brown Carex*. E. B. 2042.

Close to the road leading from Dunnington to  
Abbots' Moreton, (Worc.) in a thicket,  
by the side of a pit. . . . . P.



334 *Carex divulsa*. . . . . 5—7.

*Grey Carex*. . . . . E. B. 629.

In a barn-field on a hedge bank between Wixford  
and Pophills. . . . . P.

335 ——— *pendula*. . . . . 5—6.

*Great Pendulous Carex*. . . . .

. . . . . E. B. 2315.

Packington. . . . . A. B. G.

Oversley Wood. Spennall Park. . . . . P.

336 ——— *Pseudo-cyperus*. . . . . 6.

*Bastard Cyperus Carex*. . . . .

. . . . . E. B. 242.

On the edge of a pond at Kinwarton. . . . . P.

337 ——— *pallesens*. . . . . 5—6.

*Pale Carex*. . . . . E. B. 2185.

Near Middleton. . . . . R. C.

Oversley Wood, &c. . . . . P.

338 ——— *flava*. . . . . 5—6.

*Yellow Carex*. . . . . E. B. 1294.

Snitterfield Bushes. Oversley. . . . . P.

339 ——— *distans*. . . . . 5—6.

*Loose Carex*. . . . . E. B. 1234.

Oversley. Coughton. . . . . P.

MONÆCIA—TRIANDRIA. . . 77

---

340 *Carex acuta*. . . . . 5—6.

*Slender-spiked Carex*. E. B. 580.

Black-lands, near to Oversley bridge. . . P.

341 ——— *vesicaria*. . . . . 5—6,

*Short-spiked Bladder Carex*. . .

. . . . . E. B. 779.

Edgbaston Pool. . . . . W.

Packington. . . . . A, B, G.

At the edge of a large pit full of water, near to

Great Alne Mill. . . . . P.

342 ——— *ampullacea*. . . . . 5—7.

*Slender-beaked Bladder Carex*.

. . . . . E. B. 780.

Pools about Middleton. . . . . R.

Edgbaston Pool. . . . . W.

Packington. . . . . A, B, G.

MONÆCIA—TETRANDRIA.

343 *Littorella lacustris*. . . . . 6—8.

*Plantain Shore-weed*. E. B. 468.

Coleshill Pool. . . . . A, B, G.

*Ibid*. . . . . P.

- 344 *Myriophyllum spicatum*. . . . 5—8.

*Spiked Water Milfoil*. E. B. 83.

Black Pool between Spennall and Studley Church.

In a pool at Sambourne, nearly opposite to Mr.

Johnson's, of the Warren House. . . . P.

- 345 ————— *verticillatum*. . . . 6—7.

*Verticillate Water Milfoil*. . . .

. . . . , E. B. 218.

Packington. . . . . A, B, G.

- 346 *Sagittaria sagittifolia*. . . . 7—8.

*Arrow-head*. . . . E. B. 84.

On the banks of the river Avon, and in the ditches  
about Bidford. . . . . P.

In the river Leam, Leamington. . . . Sm.

Avon, Nicholas' meadow, Warwick. In the old

canal, Longford. Canal, Birmingham Heath,

*plentiful*. . . . . W. G. P.

- 347 *Quercus sessiliflora*, (*Q. robur*, W.) 4.

*Sessile-fruited Oak*. E. B. 1845.

Allesley. . . . . B, M, F.

- 348 *Fagus Castanea*. . . . . 5.

*Chesnut*. . . . . E. B. 886.

Ragley Woods. Snitterfield. . . . . P.

- 349 *Carpinus Betulus*. . . . . 4—5.  
*Hornbeam*. . . . . E. B. 2032.  
 Ipsley. . . . . B, M. F.

DICECIA—DIANDRIA.

- 350 *Salix Helix*. . . . . 3—5.  
*Rose Willow*. . . . . E. B. 1343.  
 Dunnington. . . . . P.
- 351 — *Lambertiana*. . . . . 3—4.  
*Boyton Willow*. . . . . E. B. 1359.  
 Salford. Wixford. . . . . P.
- 352 — *pentandra*. . . . . 5—7.  
*Sweet Willow*. . . . . E. B. 1805.  
 In plantations at Mr. Bolton's, Soho, near  
 Birmingham. . . . . W.
- 353 — *vitellina*. . . . . 5.  
*Yellow Willow*. . . . . E. B. 1389.  
*Frequent*. . . . . P.

DICECIA—TRIANDRIA.

- 354 *Empetrum nigrum*. . . . . 4—5.  
*Black Crow-berry*. . . . . E. B. 526.  
 On black heathy grounds in Warwickshire. R, C.  
 Sutton Coldfield. . . . . B, M. F.

355 *Viscum album*. . . . . 5.

*Misseltoc*. . . . . E. B. 1470.

Common, (on the Worcestershire side of the county.) . . . . . P.

Scarce in the neighbourhood of Warwick. Norbrooke. . . . . W. G. P.

### CRYPTOGAMIA—FILICES.

356 *Equisetum sylvaticum*. . . . . 4—5.

*Branched Wood Horse-tail*. . . . .

. . . . . E. B. 1874.

In the woods about and in the new Park at Middleton, near Tamworth. . . . . R. C.

Boggy ground in Grafton field. . . . . P.

357 ——— *palustre*. . . . . 6—9.

*Marsh Horsetail*. . . . . E. B. 2021.

Exhall. . . . . P.

Boggy field at Norbrooke. . . . . W. G. P.

358 ——— *fluviatile*. . . . . 4—6.

*Great Water Horse-tail*. . . . .

. . . . . E. B. 2022.

Not very rare. . . . . P.

River Avon, Nicholas' meadow, Warwick. W.G.P.

359 *Equisetum limosum*. . . . 6—9.

*Smooth naked Horse-tail*. . . .

• . . . . E. B. 929.

Stadley. . . . . P.

In the Windmill field near the road from Haseley to  
Haseley Green. . . . W. G. P.

360 ——— *hyemale*. . . . 7—8.

*Rough Horse-tail*. . E. B. 915.

In a moist ditch at Middleton, towards Dray-  
ton. . . . . W, R. S.

361 *Ophioglossum vulgatum*. . . . 5—6.

*Adders'-tongue*. . E. B. 108.

*Common*. . . . . P.

Meadows near the river, Leamington. . Sm.

Plantations near Saltisford Common; and in a wet  
field near Baly's Locks, Warwick. W. G. P.

362 *Botrychium Lunaria*, (*Osmunda Lunaria*,  
S, W, & P.) . . . . 5—7.

*Moon-wort*. . . E. B. 318.

In a close at Sutton Coldfield Park . R. C.

In an old pasture on Oversley Hill, about a mile  
from Alcester. . . . R, M. P.

363 *Osmunda regalis*. . . . . 6—8.

*Osmund-royal*. . . . . E. B. 209.

By the pales of the new Park at Middleton. R. C.

On a butt on Moseley Common, artificially made  
with mud from a deep pit in 1802. . . . . W.

Bog near Coleshill Pool. . . . . A, B. G.

*Ibid.* . . . . . B, M. F.

Near Parker's mill, between Stone-bridge and  
Bradnock's Marsh. . . . . Sm.

364 *Lycopodium clavatum*. . . . . 7—8.

*Common Club-moss*. . . . . E. B. 224.

Coleshill Heath. . . . . B, M. F.

365 ——— inundatum. . . . . 6—9.

*Marsh Club-moss*. . . . . E. B. 239.

Coleshill Heath. . . . . A, B. G.

Shores of Coleshill Pool. . . . . B, M. F.

366 ——— Selago. . . . . 3—10.

*Fir Club-moss*. . . . . E. B. 233.

Bog at Coleshill Pool. . . . . B, M. F.

367 *Aspidium Thelypteris*, (*Polypodium Thelypteris*, W.) . . . . . 7—10.

*Marsh Shield-fern*. . . . . E. B. 1018.

Allesley. . . . . B, M. F.

- 368 *Aspidium Oreopteris*, (*Polypodium Oreopteris*, W.) . . . . 7—10.

*Heath Shield-fern.* E. B. 1019.

Dunsmore Heath, near Rugby. . . D. R. S.

In a lane, near the Bell Inn, at Erdington. R, W.

Coleshill Heath. Corley. . . B, M. F.

- 369 ——— *lobatum*, (*Polypodium aculeatum*, W.) . . . . 6—10.

*Close-leaved Prickly Shield-fern.*

. . . . E. B. 1563.

In a ditch near Elmdon House. . . W.

In a wet lane at Studley. Sambourne. Oversley.

Wetheley lane, *plentiful*. . . P.

In a lane leading to Mr. J. Shuttleworth's, from

Packington Park. . . Sm.

About Warwick, *not rare*. . . W. G. P.

- 370 ——— Var. *ramosum*,

P. . . . . 7—9.

*Close-leaved Prickly Shield-fern,*

*Var. End of the frond dividing*

*into two or three curled segments.*

In a wet lane at Studley. . . P.



371 *Aspidium spinulosum*, (*Polypodium spinulosum*, W.) . . . . 6—9.

*Lesser crested Shield-fern.* . . .

. . . . E. B. 1460.

Bogs on Birmingham Heath. . . . W.

372 *Asplenium Trichomanes.* . . . 3—10.

*Common Maiden-hair Spleen-wort.*

. . . . E. B. 576.

On Coughton Church. Walcot. . . . P.

Walls at Kenilworth Castle. . . . W. G. P.

373 ——— *Ruta-muraria.* . . . 6—10.

*White Maiden-hair. Wall Rue.*

. . . . E. B. 150.

Church porch at Great Alne. Walcot. Wixford. P.

Tachbrooke and Kenilworth Churches. W. G. P.

374 ——— *Adiantum-nigrum.* . . 4—10.

*Black Maiden-hair Spleen-wort.*

. . . . E. B. 1950.

Sambourne. Middletown. Oversley. . . P.

Walls at Kenilworth Castle. Stone quarry, Cotend, Warwick. On Emscote Bridge. W. G. P.

- 375 *Scolopendrium vulgare*, Var. *Fronde apice lobatâ*, (*Asplenium Scolopendrium*, Var. 3 W.) . . . 7—9.

*Hart's-tongue*, Var. *Fronde lobed at the apex*. . . . .

In a ditch by the side of the foot-path from  
Warwick to Hampton-on-the-Hill. W. G. P.

- 376 ————— Var. *Fronde profundé bipartito*, *laciniis incurvis*. 7—9.

*Hart's-tongue*, Var. *Fronde deeply bi-partite*, *Segments incurved*.

In a ditch by the side of the foot-path from  
Warwick to Hampton on the Hill. W. G. P.

- 377 ————— *Ceterach*, (*Asplenium Ceterach*, W.) . . . . . 4—10.

*Scaly Spleen-wort*. E. B. 1244.

Walcot, in Hasler parish. . . . P.

- 378 *Blechnum boreale* (B. *Spicant*. W.) 7—9.

*Northern Blechnum*. *Rough Spleen-wort*. . E. B. 1159.

In lanes about Aston Park, near Birmingham. W.

Ditch bank near Up-and-down Post, Packington. Sm.

86 CRYPTOGAMIA—FILICES.

---

- 379 *Pilularia globulifera*. . . . 6—9.  
*Pill-wort*. . . . E. B. 521.  
 Coleshill Pool, covering the shore to a great extent. P.

CRYPTOGAMIA—MUSCI.

- 380 *Gymnostomum intermedium*. . . . 3.  
*Larger Blunt Beardless-moss*. .  
 . . . . E. B. 1976.  
*Not rare*. . . . . P.
- 381 ————— *pyriforme*, (*Bryum pyriforme*, W.) . . . . 2—4.  
*Pointed Pear-shaped Beardless-moss*. . . . E. B. 413.  
 Bank bounding the mill-pond at Oversley. P.
- 382 *Dicranum heteromallum*, (*Mnium heteromallum*, W.) . . . . 3—6.  
*Silky Heath Fork-moss*. E. B. 1272.  
 Further plantation, Edgbaston. . . . W.  
 Ragley Woods. Oversley Woods. . . . P
- 383 ————— *flexuosum*, (*Bryum flexuosum*, W.) . . . . 4—6.  
*Zig-zag or Dwarf Fork-moss*. .  
 . . . . E. B. 1491.  
 High ground in Ragley Woods. . . . P

- 384 *Dicranum adiantoides*, (*Hypnum adiantoides*, W.) . . . . 3—4.

*Greater Fern Fork-moss*. E. B. 264.

On a strawberry bed at Studley Castle. . . P.

- 385 *Trichostomum fontinalioides*, (*Fontinalis minor*, W.) . . . . 5—10.

*River Fringe-moss*. . E. B. 557.

On a stone cistern, at a watering place, at Binton,  
opposite Dr. Carlton's house. . . P.

- 386 *Tortula rigida*, (*Bryum rigidum*, W.) . . . . 10—7.

*Rigid Screw-moss*. . E. B. 180.

On the side of the Ridgeway. . . P.

- 387 *Neckera heteromalla*, (*Fontinalis secunda*, W.) . . . . 12—3.

*Lateral Neckera*. . E. B. 1180.

On the bare root of a tree in a thicket at  
Alcester Mill. . . P.

- 388 *Hypnum dendroides*. . . . 2—3.

*Tree-shaped Feather-moss*. . .

. . . . E. B. 1565.

Woods beyond Cold Comfort (near Arrow.) P.

---



---

389 *Hypnum Teesdalii*, (H. intricatum, W.)

. . . . . 4—7.

*Teesdalian Feather-moss*. E.B. 202.

In a moist shady place, between Oversley Green  
and the Mill, upon the upper bank. . . P.

390 ——— *alopecurum*. . . . 3—6.

*Fox-tail Feather-moss*. E. B. 1182.

Upon the river bank leading from Oversley to  
the Mill. . . . . P.

391 ——— *plumosum*. . . . 12—4.

*Rusty Silky Feather-moss*. . . .

. . . . . E. B. 2071.

*Not rare*. . . . . P.

392 ——— *Schreberi*, (H. purum, Var. 2

W.) . . . . . 11—3.

*Schreberian Feather-moss*. E.B. 1621.

Woods beyond Cold Comfort (near Arrow.) P.

393 ——— *filicinum*. . . . 4—5.

*Lesser Golden Fern Feather-moss*.

. . . . . E. B. 1570.

Marshy and springy ground near Cook-hill. P.

- 394 *Hypnum molluscum*, (H. *Crista-castrensis*, W.) . . . . . 3—6.

*Plumy-crested Feather-moss.* . . .  
 . . . . . E. B. 1327.

Oversley Hill. On the side of the turnpike road  
 leading from Alcester to Stratford-upon-Avon,  
 near to Red Hill. . . . . P.

- 395 *Bartramia pomiformis*, (*Bryum pomiforme*,  
 W.) . . . . . 2—5.

*Apple Bartramia.* . E. B. 998.

In a lane leading from Spennall Ash to Middle-  
 town. . . . . P.

- 396 ——— *fontana*, (*Mnium fontanum*,  
 W.) . . . . . 5—8.

*Fountain Bartramia.* E. B. 390.

Cook-hill. . . . . P.

- 397 *Bryum capillare*, (*Mnium capillare*, W.)  
 . . . . . 2—4.

*Greater-matted Thread-moss.* .

. . . . . E. B. 2007.

In a lane leading from Coughton to Sambourne  
 upon a loose sandy bank. . . . . P.

- 
- 398 *Bryum annotinum*, (*Mnium annotinum*,  
W.) . . . . . 3—8.  
‘*Summer Thread-moss*. E. B. 1862.  
Coughton lane. Cook-hill. . . . . P.
- 399 ——— *hornum*, (*Mnium hornum*, W.)  
. . . . . 2—5.  
*Swan’s-neck Thread-moss*. E. B. 2271.  
Ragley Woods. . . . . P.
- 400 ——— *punctatum*, (*Mnium punctatum*,  
W.) . . . . . 3—4.  
*Dotted Thread-moss*. E. B. 1183.  
Oversley Lodge, near the watering place. P.
- 401 ——— *ligulatum*, (*Mnium undulatum*,  
W.) . . . . . 4.  
*Long-leaved Thread-moss*. . . .  
. . . . . E. B. 1449.  
On a moist shady bank near Marsom’s Gate,  
Dunnington. . . . . P.
- 402 *Polytrichum nanum*, (*P. subrotundum*,  
W.) . . . . . 2—3.  
*Slender Round-headed Hair-moss*.  
. . . . . E. B. 1625.  
*Common*. . . . . P.
-

403 *Polytrichum aloides*. . . . 3—8.

*Dwarf Long-headed Hair-moss.*


. . . . E. B. 1649.

Plantations at Edgbaston. . . . W.

On the highest part of Ragley Woods. . . P.







# Index of Places,

WITH THEIR

*Distances and Bearings from Market Towns,*

AND

## REFERENCES TO THE PLANTS

FOUND IN THEIR

*Respective Neighbourhoods.*

---

*Abbreviations—Alc. Alcester.—Bir. Birmingham.—Col. Coleshill.—Cov. Coventry.—Ken. Kenilworth.—Sol. Solihull. Str. Stratford.—Tam. Tamworth.—War. Warwick.*

---

- ALCESTER**, [16 W.S.W. *War.*] 38, 57, 66, 89, 145, 146,  
151, 159, 165, 175, 177, 181, 185, 188, 206, 221,  
235, 243, 261, 283, 296, 299, 305, 310, 387  
**Allesley**, [2½ N.W. b W. *Cov.*] 101, 133, 191, 194, 258,  
308, 347, 367  
**Alne Hills**, [3 N. E. *Alc.*] 16, 53, 72, 84, 108, 111, 124,  
179, 192, 239, 268, 327  
**Arrow**, [1 S. S. W. *Alc.*] 70, 95, 159, 189, 210, 252,  
318, 319, 388, 392  
**Ashow**, [4½ N. N. E. *War.*] 88, 177, 235, 301  
**Aston**, [1½ N. N. E. *Bir.*] 165, 170, 244, 378  
**Baginton**, [3½ S. S. E. *Cov.*] 109, 245, 284, 302  
**Balsall Temple**, [4 ½ S. E. *Sol.*] 2, 116, 168  
**Barford**, [3 S. b W. *War.*] 147, 203, 214

- 
- Hampton-on-the-Hill, [3 W. War.] 5, 103, 149, 187,  
 320, 373, 376  
 Handsworth, [1 N. N. W. Bir.] 50, 51  
 Harbury, [1 S. E. b E. War.] 186, 275, 294, 297  
 Hasleley, [4 N. W. b W. War.] 72, 245, 359  
 ——— Green, [3 N. W. War.] 72, 245, 359  
 Haslor, [2½ E. Alc.] 11, 46, 58, 109, 110  
 Hatton, [3 W. N. W. War.] 3, 52, 80, 95, 200, 207,  
 212, 224, 228, 261, 265, 270, 284, 291, 297, 305  
 Headley's Cross, [6 N. W. b N. Alc.] 56  
 Hill Wootton, [3 N. N. E. War.] 46  
 Hon Mill, [1½ E. N. E. Alc.] 13, 109, 244, 309  
 Ipsley, [6½ N. b W. Alc.] 349  
 Kesteven, [3 N. War.] 31, 170, 194, 235, 259, 261,  
 303, 312, 313, 314  
 Kingsbury, [3 N. b E. Cal.] 239  
 King's Coughton, [1 N. W. b N. Alc.] 22, 40, 102, 222,  
 261, 283  
 Kinwarton, [1 E. N. E. Alc.] 42, 160, 182, 187, 232,  
 247, 267, 273, 279, 326, 336  
 Knowle, [3 S. E. Sal.] 121, 233  
 Leamington, [2½ E. War.] 13, 27, 39, 57, 70, 81, 86, 92,  
 130, 144, 166, 172, 202, 204, 224, 225, 233, 265,  
 276, 283, 303, 307, 316, 321, 322, 346, 361  
 Lock Wootton, [2½ N. b E. War.] 72, 110, 142, 169,  
 212, 237, 277, 282, 284, 301, 302, 311  
 Lillington, [3 N. E. b E. War.] 230  
 Loughbridge, [1½ S. W. b S. War.] 230

- 
- Long Compton, [17 S. S. E. *Str.*] 299  
 Longford, [3 N. b E. *Cov.*] 166, 346  
 Mapleborough Green, [5½ N. b W. *Alc.*] 288  
 Maxtock Priory, [3 S. E. *Col.*] 178  
 Meriden, [6 W. N. W. *Cov.*] 80, 167, 282, 287, 308  
 Middleton, [6 N. b W. *Col.*] 20, 153, 208, 214, 278,  
 293, 325, 330, 331, 332, 337, 342, 356, 360, 363  
 Middletown, [4 N. N. W. *Alc.*] 13, 288, 302, 374, 395  
 Milverton, [1½ N. N. E. *War.*] 177, 235, 238  
 Moorhall, [3 S. *Alc.*] 299  
 Moseley, (*Worc.*) [2½ S. *Bir.*] 363  
 Myton, [½ E. *War.*] 213, 307  
 Newbold Comyn, [3 E. b N. *War.*] 158  
 Norbrooke, [3½ S W. *War.*] 121, 147, 202, 355, 357  
 Norton Lindsey, [4 W. S. W. *War.*] 124, 174, 202  
 Oversley, [1 S. E. *Alc.*] 14, 22, 29, 33, 34, 36, 37, 47,  
 48, 55, 59, 66, 69, 75, 80, 92, 96, 100, 102, 117, 131,  
 142, 158, 159, 161, 166, 208, 213, 216, 220, 241,  
 244, 245, 250, 257, 274, 276, 279, 284, 289, 291,  
 297, 301, 302, 304, 305, 318, 319, 323, 324, 325,  
 326, 335, 337, 338, 339, 340, 362, 369, 374, 381,  
 382, 389, 390, 394, 400  
 Packington, [4½ S. E. b S. *Col.*] 19, 23, 24, 82, 94, 107,  
 125, 147, 154, 161, 164, 226, 227, 237, 238, 240,  
 272, 298, 306, 329, 335, 341, 342, 345, 369, 378  
 Pillerton, [7 S. E. E. *Str.*] 83, 317  
 Pitchell, [5 S. S. W. *Alc.*] 212  
 Pophills, [3 S. b W. *Alc.*] 212, 224, 237, 334

Aspidium Thelypteris	367	Bryum punctatum	400
Asplenium Adiantum-		— <i>pyriforme</i>	381
nigrum . . .	374	— <i>rigidum</i> . . .	386
— <i>Ceterach</i> . . .	377	Bupleurum rotundifoli-	
—Ruta-muraria	373	um . . . . .	110
—Trichomanes	372	Butomus umbellatus	166
Astragalus glycyphyllos		Campanula glomerata	83
. . . . .	274	—hybrida . . . .	84
Atropa Belladonna	91	—latifolia . . . .	82
Bartramia fontana	396	—patula . . . . .	80
—pomiformis . . .	395	—Rapunculus . . .	81
Berberis vulgaris .	142	—rotundifolia, Var. flor.	
Bidens cernua . . .	302	alb. . . . .	78
— <i>γ</i> . . . . .	303	— <i>—</i> . . . . .	uni.
Blechnum boreale	378	flora, &c. : . . .	79
— <i>spicant</i> . . . .	378	Cardamine amara	244
Borago officinalis	70	— <i>flexuosa</i> . . . .	243
Botrychium Lunaria	362	—hirsuta . . . . .	242
Brassica Napus . . .	252	— <i>—</i> Var. caule flex.	
Bromus pinnatus	43	. . . . .	245
—secalinus : . . .	41	Carduus acanthis . .	299
—sylvaticus . . . .	42	— <i>criophorus</i> . . .	297
Bryum annotinum	398	—marianus . . . .	295
—capillare . . . .	397	—nutans : . . . .	295
— <i>flexuosum</i> . . . .	383	— <i>pratensis</i> . . . .	298
—hornum . . . . .	399	Carex acuta . . . .	340
—ligulatum . . . .	401	—ampullacea . . . .	342
— <i>pomiforme</i> . . . .	395	—curta . . . . .	332

<i>Carex distans</i> . . .	339	<i>Cichorium Intybus</i> . . .	294
— <i>divulsa</i> . . .	334	<i>Circæa alpina</i> . . .	2
— <i>flava</i> . . .	338	<i>Cistus Helianthemum</i> . . .	200
— <i>intermedia</i> . . .	333	<i>Clematis Vitalba</i> . . .	202
— <i>pallescent</i> . . .	337	<i>Cnicus acaulis</i> . . .	299
— <i>pendula</i> . . .	335	— <i>eriophorus</i> . . .	297
— <i>Pseudo-cyperus</i> . . .	336	— <i>pratensis</i> . . .	298
— <i>pulicaris</i> . . .	330	<i>Cochlearia Armoracia</i> . . .	241
— <i>stellulata</i> . . .	331	— <i>officinalis</i> . . .	240
— <i>vesicaria</i> . . .	341	<i>Colchicum autumnale</i> . . .	147
<i>Carlina vulgaris</i> . . .	301	— <i>Var. flor.</i> . . .	
<i>Carpinus Betulus</i> . . .	349	— <i>alb.</i> . . .	148
<i>Caucalis daucoides</i> . . .	111	<i>Comarum palustre</i> . . .	198
— <i>nodosa</i> . . .	112	<i>Convallaria majalis</i> . . .	136
— <i>scandicina</i> . . .	117	<i>Conyza squarrosa</i> . . .	307
<i>Cerastium semidecan-</i>		<i>Cotyledon Umbilicus</i> . . .	178
— <i>drum</i> . . .	182	<i>Crategus torminalis</i> . . .	188
<i>Chara flexilis</i> . . .	1	<i>Crocus nudiflorus</i> . . .	15
<i>Cheiranthus Cheiri</i> . . .	249	<i>Cuscuta europæa</i> . . .	107
— <i>fruticulosus</i> . . .	249	<i>Cynoglossum sylvati-</i>	
<i>Chenopodium acutifo-</i>		— <i>cum</i> . . .	68
— <i>lium</i> . . .	104	<i>Cynosurus cristatus, Var.</i>	
— <i>hybridum</i> . . .	103	— <i>3 W.</i> . . .	39
— <i>polyspermum</i> . . .	104	<i>Cyperus nigricans</i> . . .	18
<i>Chlora perfoliata</i> . . .	151	<i>Daphne Laureola</i> . . .	158
<i>Chrysosplenium alterni-</i>		<i>Datura Stramonium</i> . . .	89
— <i>folium</i> . . .	168	<i>Dianthus Armeria</i> . . .	174
— <i>oppositifolium</i> . . .	169	<i>Dicranum adiantoides</i> . . .	384

- 
- Wells Green, [4½ E. S. E. *Bir.*] 80  
Westwood Heath, [3 N. b W. *Ken.*] 72  
Wetheley, [3 S. W. b W. *Alc.*] 38, 44, 96, 369  
Whitacre, (Over) [4 E. N. E. *Col.*] 148  
Whitnash, [3 E. b S. *War.*] 149  
Winson Green, [2 N. W. b W. *Bir.*] 272  
Wishaw, [4 N. N. W. *Col.*] 313  
Wixford, [2 S. *Alc.*] 47, 66, 90, 106, 120, 180, 224, 260,  
306, 334, 351, 373  
Wootton Grange, [3½ N. b E. *War.*] 78, 165  
Wroxall, [6 N. W. *War.*] 132, 156
-

## Latin Index.

---

<b>Acer Pseudo-platanus</b>	159	<b>Anthyllis vulneraria</b>	267
<b>Achillea Millefolium, Var.</b>		<b>Antirrhinum Cymbala-</b>	
2 W. . . . .	315	ria . . . . .	230
<b>Acorus Calamus . . .</b>	137	—Elatine . . .	232
<b>Adoxa Moschatellina</b>	165	—majus . . .	234
<b>Agrostis Spica-venti</b>	30	—minus . . .	233
<b>Aira aquatica . . .</b>	31	—spurium . . .	231
—caryophyllea . .	33	<b>Aquilegia vulgaris</b>	201
—flexuosa . . .	32	<b>Arabis thaliana . .</b>	250
<b>Ajuga reptans, flor. alb.</b>	211	<b>Arenaria rubra . .</b>	177
<b>Alchemilla vulgaris</b>	59	<b>Arundo Calamagrostis</b>	45
<b>Allium oleraceum</b>	130	—colorata . . .	27
—ursinum . . .	131	—epigejos . . .	44
<b>Alopecurus fulvus</b>	28	<b>Asperula odorata</b>	48
<b>Anagallis arvensis γ</b>	76	<b>Aspidium lobatum</b>	369
—cœrulea . . .	76	—————Var. ramo-	
—tenella . . .	77	sum . . . . .	370
<b>Anchusa sempervirens</b>	67	—Oreopteris . .	368
<b>Anthemis arvensis</b>	314	—spinulosum . .	371



Aspidium Thelypteris	367	Bryum punctatum	400
Asplenium Adiantum-		—pyriforme	381
nigrum	374	—rigidum	386
—Ceterach	377	Bupleurum rotundifolium	110
—Ruta-muraria	373	Butomus umbellatus	166
—Trichomanes	372	Campanula glomerata	83
Astragalus glycyphyllos	274	—hybrida	84
Atropa Belladonna	91	—latifolia	82
Bartramia fontana	396	—patula	80
—pomiformis	395	—Rapunculus	81
Berberis vulgaris	142	—rotundifolia, Var. flor.	
Bidens cernua	302	alb.	78
—γ	303	—uni-	
Blechnum boreale	378	flora, &c.	79
—spicant	378	Cardamine amara	244
Borago officinalis	70	—flexuosa	243
Botrychium Lunaria	362	—hirsuta	242
Brassica Napus	252	—Var. caule flex.	
Bromus pinnatus	43		243
—secalinus	41	Carduus acanthis	299
—sylvaticus	42	—eriophorus	297
Bryum annotinum	398	—marianus	296
—capillare	397	—nutans	295
—flexuosum	383	—pratensis	298
—hornum	399	Carex acuta	340
—ligulatum	401	—ampullacea	342
—pomiforme	395	—curta	338

<i>Carex distans</i> . . .	339	<i>Cichorium Intybus</i> . . .	294
—divulsa . . .	334	<i>Circæa alpina</i> . . .	2
—flava . . .	338	<i>Cistus Helianthemum</i> . . .	200
—intermedia . . .	333	<i>Clematis Vitalba</i> . . .	202
—pallescens . . .	337	<i>Cnicus acaulis</i> . . .	299
—pendula . . .	335	—eriophorus . . .	297
—Pseudo-cyperus . . .	336	—pratensis . . .	298
—pulicaris . . .	330	<i>Cochlearia Armoracia</i> . . .	241
—stellulata . . .	331	—officinalis . . .	240
—vesicaria . . .	341	<i>Colchicum autumnale</i> . . .	147
<i>Carlina vulgaris</i> . . .	301	—Var. flor.	
<i>Carpinus Betulus</i> . . .	349	alb. . . . .	148
<i>Caucalis daucoides</i> . . .	111	<i>Comarum palustre</i> . . .	198
—nodosa . . .	112	<i>Convallaria majalis</i> . . .	136
—scandicina . . .	117	<i>Conyza squarrosa</i> . . .	307
<i>Cerastium semidecan-</i>		<i>Cotyledon Umbilicus</i> . . .	178
<i>drum</i> . . . . .	182	<i>Cratægus torminalis</i> . . .	183
<i>Chara flexilis</i> . . .	1	<i>Crocus nudiflorus</i> . . .	15
<i>Cheiranthus Cheiri</i> . . .	249	<i>Cuscuta europæa</i> . . .	107
—fruticulosus . . .	249	<i>Cynoglossum sylvati-</i>	
<i>Chenopodium acutifo-</i>		<i>cum</i> . . . . .	68
<i>lium</i> . . . . .	104	<i>Cynosurus cristatus</i> , Var.	
—hybridum . . .	103	3 W. . . . .	39
—polyspermum . . .	104	<i>Cyperus nigricans</i> . . .	18
<i>Chlora perfoliata</i> . . .	151	<i>Daphne Laureola</i> . . .	158
<i>Chrysosplenium alterni-</i>		<i>Datura Stramonium</i> . . .	89
<i>folium</i> . . . . .	168	<i>Dianthus Armeria</i> . . .	174
—oppositifolium . . .	169	<i>Dicranum adiantoides</i> . . .	384



<i>Enanthe peucedanifolia</i>	<i>Pinguicula vulgaris</i>	7
. . . . . 114	<i>Plantago Coronopus</i>	56
<i>Onopordium Acanthium</i>	<i>Poa decumbens</i>	38
. . . . . 300	— <i>nemoralis</i>	37
<i>Ophioglossum vulgatum</i>	— <i>rigida</i>	36
. . . . . 361	<i>Polygala vulgaris, Var. flor</i>	
<i>Ophrys Nidus-Avis</i>	incarn.	264
— <i>ovata</i>	<i>Polygonum amphibium</i>	
— <i>spiralis</i>	. . . . . 160	
<i>Orchis bifolia</i>	— <i>aviculare</i> δ	162
— <i>conopsea</i>	— <i>Bistorta</i>	161
— <i>pyramidalis</i>	— <i>Fagopyrum</i>	163
— <i>viridis</i>	<i>Polypodium aculeatum</i>	369
<i>Ornithogalum umbella-</i>	— <i>Oreopteris</i>	368
<i>tum</i>	— <i>spinulosum</i>	371
. . . . . 134	— <i>Thelypteris</i>	367
<i>Ornithopus perpusillus</i>	<i>Polytrichum aloides</i>	403
. . . . . 272	— <i>nanum</i>	402
<i>Orobanche major</i>	— <i>subrotundum</i>	402
. . . . . 237	<i>Potamogeton densum</i>	60
<i>Osmunda Lunaria</i>	— <i>lucens</i>	61
— <i>regalis</i>	— <i>pectinatum</i>	62
. . . . . 363	— <i>pusillum</i>	63
<i>Parietaria officinalis</i>	<i>Potentilla argentea</i>	195
. . . . . 58	<i>Prenanthes muralis</i>	288
<i>Paris quadrifolia</i>	<i>Pyrola media</i>	167
. . . . . 164	<i>Pyrus communis</i>	187
<i>Patnassia palustris</i>	— <i>torminalis</i>	188
. . . . . 121		
<i>Peplis Portula</i>		
. . . . . 143		
<i>Phalaris arundinacea</i>		
. . . . . 27		
<i>Phellandrium aquaticum</i>		
. . . . . 115		
<i>Pilularia globulifera</i>		
. . . . . 379		

<i>Quercus Robur</i> . . .	347	<i>Salix Helix</i> . . .	350
— <i>sessiliflora</i> . . .	347	— <i>Lambertiana</i> . . .	351
<i>Radiola Millegrana</i> . . .	65	— <i>pentandra</i> . . .	352
<i>Ranunculus acris</i> , Var. . .		<i>Salix vitellina</i> . . .	353
2 W. . . . .	205	<i>Salvia verbenaca</i> . . .	11
— <i>aquatilis</i> , $\delta$ . . .	208	<i>Sambucus Ebulus</i> . . .	118
— <i>bulbosus</i> , Var. flor. . .		— <i>nigra</i> $\beta$ . . .	119
plen. . . . .	204	— $\gamma$ . . .	120
— <i>fluvialis</i> . . .	208	<i>Samolus Valerandi</i> . . .	92
— <i>hederaceus</i> . . .	207	<i>Sanguisorba officinalis</i> . . .	57
— <i>parviflorus</i> . . .	206	<i>Saponaria officinalis</i> . . .	173
<i>Reseda Luteola</i> . . .	185	<i>Satyrion viride</i> . . .	318
<i>Rhamnus catharticus</i> . . .	94	<i>Saxifraga granulata</i> . . .	170
— <i>Frangula</i> . . .	95	— <i>tridactylites</i> . . .	171
<i>Ribes alpinum</i> . . .	98	— Var. 2 W. . . . .	172
— <i>Grossularia</i> . . .	100	<i>Scandix Anthriscus</i> . . .	117
— <i>nigrum</i> . . .	99	— <i>odorata</i> . . .	116
— <i>rubrum</i> . . .	97	<i>Schœnus albus</i> . . .	19
<i>Rosa dumetorum</i> . . .	193	— <i>Mariscus</i> . . .	17
— <i>rubiginosa</i> . . .	192	— <i>nigricans</i> . . .	18
— <i>spinosissima</i> . . .	190	<i>Scirpus cœspitosus</i> . . .	20
— <i>tomentosa</i> . . .	191	— <i>setaceus</i> . . .	21
<i>Rubus idæus</i> . . .	194	— <i>sylvaticus</i> . . .	22
<i>Rumex aquaticus</i> . . .	145	<i>Scolopendrium Ceterach</i> . . .	
— <i>Hydrolupathum</i> . . .	145	. . . . .	377
— <i>sanguineus</i> . . .	144	— <i>vulgare</i> , Var. 3 W. . . .	375
<i>Sagina erecta</i> . . .	64	— Var. Frond. bi-	
<i>Sagittaria sagittifolia</i> . . .	346	part. . . . .	376

<i>Scutellaria galericulata</i>	225	<i>Teesdalia nudicaulis</i>	238
—minor	226	<i>Teucrium Scorodonia</i>	212
<i>Sedum acre</i>	180	<i>Thalictrum flavum</i>	203
—reflexum	181	<i>Thlaspi arvense</i>	239
— <i>Telephium</i>	179	<i>Thymus Acinos</i>	223
<i>Senecio sylvaticus</i>	310	— <i>Calamintha</i>	224
<i>Scrapias ensifolia</i>	324	<i>Tormentilla reptans</i>	196
— <i>latifolia</i>	322	<i>Tortula rigida</i>	386
— <i>longifolia</i>	323	<i>Tragopogon porrifolius</i>	286
— <i>palustris</i>	323	<i>Trichostomum fontinaloides</i>	385
<i>Sinapis alba</i>	253	<i>Trifolium arvense</i>	277
—nigra	254	—fragiferum	279
<i>Sisymbrium amphibium</i>	246	—medium	276
—Sophia	248	—officinale	275
— <i>tenuifolium</i>	247	—striatum	278
—terrestre	245	<i>Triglochin palustre</i>	146
<i>Sium angustifolium</i>	113	<i>Tulipa sylvestris</i>	133
<i>Solidago Virgaurea</i>	311	<i>Turritis glabra</i>	251
<i>Sparganium natans</i>	329	<i>Tussilago hybrida</i>	309
—simplex	328	<i>Typha angustifolia</i>	327
<i>Spergula nodosa</i>	183	<i>Ulmus campestris</i> , Var.	
<i>Spiræa Filipendula</i>	189	3 W.	105
<i>Stellaria nemorum</i>	175	—glabra	105
—uliginosa	176	—montana	106
<i>Symphytum officinale</i>	69	—montana $\beta$	105
<i>Tanacetum vulgare</i>	305	<i>Utricularia vulgaris</i>	8
		<i>Vaccinium Myrtillus</i>	152

---

Vaccinium	Oxycoccus	Veronica scutellata	5
. . . . .	154	—triphyllous	6
—Vitis Idæa	153	Vicia lathyroides	271
<i>Valantia cruciata</i>	49	Vinca major	102
Valeriana dioica	13	—minor	101
—officinalis	14	Viola odorata $\beta$	85
—rubra	12	—Var. flor. in-	
Verbascum nigrum	88	carn.	86
Verbena officinalis	214	—palustris	87
Veronica Anagallis	4	Viscum album	355
—officinalis	3	Zannichellia palustris	326



## English Index.

---

Adder's-tongue . . .	361	Bedstraw, great hedge	54
Alder, berry-bearing	95	—rough heath . . .	50
—Buckthorn . . .	95	—rough marsh . . .	52
Alkanet, evergreen	67	—smooth heath . . .	51
Allseed . . . . .	65	—wall . . . . .	55
Archangel, yellow	220	Bell-flower, clustered	83
Arrow-grass, marsh	146	—corn . . . . .	84
Arrow-head . . . . .	346	—field . . . . .	80
Asphodel, Lancashire	135	—giant . . . . .	82
Avens, water . . . .	197	—rampion . . . . .	81
Barberry . . . . .	142	—round-leaved, Var.	
Bartramia, apple . .	395	flowers white . . .	78
—fountain . . . . .	396	—————Var. single-	
Beardless-moss, larger		flowered, &c. . . .	79
blunt . . . . .	380	—spreading . . . . .	80
—pointed pear-shaped		Bent-grass, silky . .	30
. . . . .	381	Bilberry . . . . .	152
Bear's-foot . . . . .	210	Bird's-foot . . . . .	272
Bedstraw, corn . . .	53	Bird's-nest . . . . .	325



Bistort . . .	161	Bur-reed, unbranched	328
Bladderwort, great	8	Butter-bur, long-stalked	
Bleaberry . . .	152	. . . . .	309
Blechnum, northern	378	Butter-wort . . .	7
Blinks, water . .	46	Calamint . . .	224
Bog-bean . . .	72	Canary-grass, reed	27
Bog-rush, black . .	13	Candy-tuft, naked-stalked	
—long-rooted . . .	17	. . . . .	238
—prickly . . .	17	Carex, bastard Cyperus	336
—white-headed . . .	19	—flea . . .	330
Borage . . .	70	—great pendulous	335
Brome-grass, slender wood		—grey . . .	334
. . . . .	42	—little prickly . .	331
—smooth rye . . .	41	—loose . . .	339
—spiked heath . . .	43	—pale . . .	337
Brook-lime, long-leaved	4	— short spiked bladder	
Brook-weed . . .	92	. . . . .	341
Broom-rape, greater	237	—slender-beaked blad-	
Buck-bean . . .	72	der . . . . .	342
Buck-thorn . . .	94	—slender-spiked	340
Buck-wheat . . .	163	—soft brown . . .	333
Bugle, common, Var. flow-		—white . . .	332
ers white . . .	211	—yellow . . .	338
Bur-marygold, nodding		Carline . . .	301
. . . . .	302	Cat-mint . . .	213
—Var. dwarf	303	Cat's-ear, smooth	293
Burnet, great . . .	57	Centaurry, yellow .	151
Bur-reed, floating	329	Chamomile, corn	314

Chara, smooth . . .	1	Cranberry . . .	154
Chervil, great . . .	116	Crane's-bill, crow-foot-	
—rough . . .	117	leaved . . .	258
Chesnut . . .	348	—long-stalked	260
Cicely, sweet . . .	116	—shining . . .	259
Cinquefoil, hoary	195	—wood . . .	257
—marsh . . .	198	Crocus, naked-flowering	
Cistus, dwarf . . .	200	. . . . .	15
Clary, wild . . .	11	Cross-wort . . .	49
Club-moss, common	364	Crow-berry, black	354
—fir . . .	366	Crow-foot, bulbous, Var.	
—marsh . . .	365	flowers full . . .	204
Club-rush, least . .	21	—ivy . . .	207
—scaly-stalked	20	—small-flowered	206
—wood . . .	22	—upright meadow,	
Cole-seed . . .	252	Var. peduncles flattened	
Columbine . . .	201	&c. . . . .	205
Comfrey, common	69	—water, Var. leaves	
Cotton-grass, broad-leaved		capillary, &c. . .	208
. . . . .	24	Cudweed, upright	306
—common	25	Currant, black . . .	99
—many-headed	24	—red . . .	97
—single-headed	23	—tasteless mountain	98
Cow-berry . . .	153	Daffodil . . .	128
Cow-wheat, purple	227	—Var. flowers full	129
—yellow . . .	228	Dock, bloody-veined	144
—Var. flowers		—great water . . .	145
white, &c. . .	229	Dodder, greater . . .	107

Dog's-tail-grass, crested	Fescue-grass, barren	40
Var. spike viviparous	Flag, sweet . . .	137
Drop-wort . . .	Flax, common . . .	122
Duck-weed, gibbous	Flea-bane, blue . . .	308
——ivy-leaved . . .	——small . . .	313
Dwale . . . . .	Flix-weed . . . . .	248
Dyer's-weed . . . .	Fluellin, round-leaved	231
Eglantine . . . . .	——sharp-pointed	232
Elder, common, Var. berries white or green	Fork-moss, dwarf	383
——Var. leaves lacinated . . . . .	——greater fern	384
——dwarf . . . . .	——silky heath	382
——parsley-leaved	——zigzag . . . . .	383
Elecampane . . . . .	Fox-glove, purple	235
Elm, broad-leaved	Fox-tail-grass, orange-spiked . . . . .	28
——smooth-leaved	Fringe-moss, river	385
——Wych . . . . .	Fritillary . . . . .	132
Feather-foil . . . .	Fumitory, white climbing . . . . .	263
Feather-moss, fox-tail	——yellow . . . . .	262
——lesser golden fern . . . . .	Garlick, broad-leaved	131
——plumy crested . . . . .	——streaked field	130
——rusty silky . . . . .	Gentian, autumnal	108
——Schreberian . . . .	Germander, wood	212
——Teesdalian . . . .	Gladwin . . . . .	16
——tree-shaped	Goat's-beard, purple	286
	Golden-rod . . . . .	311
	Goose-berry, rough	109

Goose-foot, maple-leaved . . . . .	103	Heath, cross-leaved . . . . .	156
— sharp entire leaved . . . . .	104	—fine-leaved, Var. flow- ers white . . . . .	157
Goose-grass, three flower- ed . . . . .	53	Hellebore, green . . . . .	209
Green-weed, dyers' . . . . .	265	—stinking . . . . .	210
Gromwell, common . . . . .	66	Helleborine, broad-leaved . . . . .	322
Groundsel, mountain . . . . .	310	—marsh . . . . .	323
Hair-grass, heath . . . . .	32	—narrow-leaved . . . . .	324
—silver . . . . .	33	Hemlock, water . . . . .	115
—water . . . . .	31	Hemp-agrimony . . . . .	304
—waved mountain . . . . .	32	Hemp-nettle, large flower- ed . . . . .	219
Hair-moss, dwarf long- headed . . . . .	403	—red, Var. Calyx woolly . . . . .	218
—slender round-headed . . . . .	402	Henbane, common . . . . .	90
Hart's-tongue, Var. fronds lobed . . . . .	375	Honey-suckle, upright . . . . .	93
—Var. fronds bi-partite, &c. . . . .	376	Horehound, white . . . . .	221
Hawk-weed, narrow-leaved . . . . .	292	Hornbeam . . . . .	349
—shrubby . . . . .	291	Horse-radish . . . . .	241
—wall . . . . .	289	Horse-tail, branched wood . . . . .	356
—wood . . . . .	290	—great water . . . . .	358
Heath, common, Var. leaves hoary . . . . .	155	—marsh . . . . .	357
		—rough . . . . .	360
		—smooth naked . . . . .	359

Hound's - tongue, green-leaved . . .	68	Maple, greater . . .	159
Iris, stinking . . .	16	Mat-grass . . .	26
Knot-grass, Var. leaves oval . . .	162	Meadow grass, decumbent . . .	38
Ladies'-finger . . .	267	—hard . . .	36
Ladies'-mantle, common . . .	59	—wood . . .	37
Ladies'-smock, bitter . . .	244	Meadow-rue . . .	203
— — — hairy . . .	242	Medick, heart . . .	281
— — — Var. stem zigzag . . .	243	—purple . . .	280
Ladies'-traces . . .	320	Melic-grass, purple . . .	35
Laurel, spurge . . .	158	—wood . . .	34
Lettuce, ivy-leaved . . .	288	Melilot . . .	275
—strong-scented . . .	287	Milk-vetch, sweet . . .	274
Lily of the valley . . .	136	Milk-wort, Var. flowers flesh-coloured . . .	264
Ling, Var. leaves hoary . . .	155	Millet-grass, soft . . .	29
Liquorice, wild . . .	274	—spreading . . .	29
Loose-strife, purple, Var. leaves ternate, &c. . .	184	Milfoil, greater-hooded . . .	8
—wood . . .	75	—spiked water . . .	344
—yellow . . .	74	—verticillate water . . .	345
Lucerne . . .	280	Mint, narrow-leaved . . .	216
Lungwort, golden . . .	289	—pepper . . .	215
Madder, bastard, . . .	54	Misseltoe . . .	355
Maiden-hair, white . . .	373	Moon-wort . . .	362
Mallow, musk . . .	261	Moschatel, tuberous . . .	165
		Motherwort . . .	222
		Mouse-ear, least . . .	182
		Mouse-tail . . .	124

Mudwort . . .	236	Pearl-wort, upright	64
Mullein, dark . .	88	Pear-tree . . .	187
Mustard, common	254	Pellitory of the wall	58
—smooth Mithridate		Penny-royal . . .	217
. . . . .	239	Penny-wort, marsh	109
—white . . . . .	253	Periwinkle, greater	102
Narcissus, pale . .	127	—lesser . . . . .	101
Navel-wort . . .	178	Persicaria, amphibious	160
Navew . . . . .	252	Pill-wort . . . . .	379
Neckera, lateral . .	387	Pimpernel, blue . .	76
Needle-farze . . .	266	—bog . . . . .	77
Nightshade, deadly	91	—water . . . . .	92
—mountain enchanter's	2	—yellow . . . . .	75
Oak, sessile-fruited	347	Pink, Deptford . . .	174
Orchis, aromatic . .	319	Plantain, buck's-horn	56
—Butterfly . . . .	316	Pond-weed, close-leaved	
—frog . . . . .	318	. . . . .	60
—pyramidal . . . .	317	—fennel-leaved	62
Orpine . . . . .	179	—horned . . . . .	326
Osmund-royal . . .	363	—shining . . . . .	61
Paris, herb . . . .	164	—small . . . . .	63
Parnassus, grass of	121	Purslane, water . . .	143
Parsley, knotted stone	112	Radish, great water	246
—small bur . . . .	111	Ramsons . . . . .	131
Parsnep, narrow-leaved		Rape . . . . .	252
water . . . . .	113	Raspberry . . . . .	194
Pea, narrow-leaved ever-		Reed, small . . . . .	45
lasting . . . . .	270	—wood . . . . .	44

Reed-mace, lesser	327	Saxifrage, opposite-leaved	
Rocket, annual water	245	golden . . .	169
—great water . .	246	—rue-leaved . .	171
—wall . . .	247	—Var. stem branched	
Rose, Burnet . .	190	&c. . . .	172
—downy-leaved	191	—white . . .	170
—downy-stalked	193	Screw-moss, rigid	386
Rue, wall . . .	373	Scurvy-grass . .	240
Rush, blunt-flowered	159	Service-tree, wild .	188
—field, Var. . .	141	Shepherd's-rod . .	47
—flaxen . . .	141	Shield-fern, close-leaved	
—flowering . . .	166	prickly . . .	369
—hare's-tail . .	23	—Var. . . .	370
—little bulbous	140	—heath . . .	368
—moss . . .	138	—lesser crested	371
Saffron, meadow .	147	—marsh . . .	367
—Var. flower white	148	Shore-weed plantain	343
Sage, wood . . .	212	Skull-cap . . .	225
Saint-foin . . .	273	—lesser . . .	226
Saint-John's wort, imper-		Snake-weed . . .	161
forate . . .	282	Snap-dragon, great	234
—marsh . . .	285	—ivy-leaved . .	230
—small upright	284	—least . . .	233
—trailing . . .	283	Snow-drop . . .	125
Sandwort, purple .	177	Snow-flake, summer	126
Sanicle, Yorkshire	7	Soap-wort . . .	173
Saxifrage, alternate-leaved		Speedwell, common	3
golden . . .	168	—fingered . . .	6

Speedwell, narrow-leaved	Teasel, small	47
marsh . . . . . 5	Thistle, cotton . . . . . 300	
—trifid . . . . . 6	—dwarf . . . . . 299	
—water . . . . . 4	—meadow . . . . . 298	
Spikenard, plowman's 307	—milky . . . . . 296	
Spindle-tree . . . . . 96	—musk . . . . . 295	
Spleen - wort, common	—woolly-headed 297	
maiden-hair . . . . . 372	Thorn-apple . . . . . 89	
—black maiden-hair	Thorowax . . . . . 110	
. . . . . 371	Thread-moss, dotted 400	
—rough . . . . . 378	—greater matted 397	
—scaly . . . . . 377	—long-leaved . . . . . 401	
Spurge, dwarf . . . . . 186	—summer . . . . . 398	
Spurrey, knotted . . . . . 183	—swan's-neck . . . . . 399	
Star of Bethlehem, com-	Thyme, basil . . . . . 223	
mon . . . . . 134	Tormentil, trailing 196	
Star of the earth . . . . . 56	Tower - mustard, smooth	
Stitch-wort, bog . . . . . 176	. . . . . 251	
—wood . . . . . 175	Traveller's-joy . . . . . 202	
Stone-crop, biting . . . . . 180	Trefoil, hare's-foot 277	
—yellow . . . . . 181	—marsh . . . . . 72	
Stork's-bill, hemlock 255	—soft-knotted 278	
—musky . . . . . 256	—strawberry - headed	
Succory . . . . . 294	. . . . . 279	
Sun-dew, round-leaved 193	—zigzag . . . . . 276	
Sweet-briar . . . . . 192	Tulip, wild . . . . . 193	
Sycamore . . . . . 159	Twayblade . . . . . 321	
Tansy . . . . . 305	Valerian, great wild 14	



---



---

Valerian, red . . .	12	Weld . . . . .	185
—small marsh . . .	13	Whin, petty . . .	266
Vervain . . . . .	214	White-rot . . . .	109
Vetch, crimson grass	269	Whitlow-grass, rue-leaved	
—kidney . . . . .	267	. . . . .	171
—spring . . . . .	271	Whortle-berry, red	153
Vetchling, yellow	268	Willow, Boyton . .	351
Violet, marsh . . .	87	—rose . . . . .	350
—sweet, Var. flowers		—sweet . . . . .	352
white . . . . .	85	—yellow . . . . .	355
—Var. flowers flesh-		Willow-herb, narrow marsh	
coloured . . . . .	86	. . . . .	150
—water . . . . .	73	—square-stalked	149
Viper's-bugloss, blue	71	Winter-green, intermedi-	
Wall-cress . . . . .	250	ate . . . . .	167
Wall-flower . . . .	249	Woodruff, sweet	48
Water-drop-wort, sulphur-		Yarrow, Var. flowers	
wort . . . . .	114	purplish-red . .	315
Water-lily, white	199	Yellow-weed . . .	185

---

